



MEP Hire

Mechanical, Electrical & Low Level Access Specialists



MEP Hire Catalogue

☎ 0800 587 5121
@ hire@mephire.co.uk
🌐 www.mephire.co.uk

Edition 2.1



MEP Hire

Mechanical, Electrical & Low Level Access Specialists

A Partner You Can Trust To Deliver

Hire With Us...



Hire Desk

We are open from 7.30am until 5.00pm Monday to Friday. Call or email us with all your hire enquiries.

Tel: 0800 587 5121

Email: hire@mephire.co.uk



Set up an Account

We've made setting-up an account with MEP Hire really easy. Simply contact our Hire Desk or visit: www.mephire.co.uk.



Track your Order

We can provide live tracking of your order and expected delivery times with our Track your Order feature. Simply ask for more details when you place your hire order.

Icon Key

Look out for these icons throughout the catalogue for quick and easy reference.

Sectors



Commercial Fit-out



Electrical Contractors



Fire Protection



Heating, Ventilation & Refrigeration (HVAC)



Mechanical & Plumbing



Utilities & Fabricators

Key Features



Ideal for Compact Spaces



Cordless



Green Option



Health & Safety Approved



Innovative Solution



Ideal for Quiet Spaces

Contents

About MEP Hire	05
Our Customer Journey	06
National Coverage	07
Hire With Confidence	08
Vp plc	09
Working At Heights	10

Sectors

Commercial Fit-out	16
Electrical Contractors	18
Fire Protection	20
Heating, Ventilation & Refrigeration (HVAC)	22
Mechanical & Plumbing	24
Utilities & Fabricators	26

Products

Access	28
Press-fit	40
Brugg	48
Cable Tools	50
Ductwork	52
Dust	54
Fusion	56
Materials Handling	58
Pipe Work	62
Power Tools	66
Site Safe	68
Site Services	70
Testing & Freezing	72
Welding	74
Consumables	76
Tool Tethering	80

Health & Safety Guidance	84
Index	87

A trusted and recognised hire partner...





Welcome to the **MEP Hire** Catalogue

We provide mechanical, electrical, press-fitting and low-level access products to the UK's building services trades.

About MEP Hire

As a member of Vp plc, we are part of a multi-national group with nine operating divisions, providing the rental and sale of specialist products and associated services within the UK and overseas.

With a rich history spanning over 65 years, MEP Hire is uniquely positioned to ensure continued investment in our fleet and network. This allows us to offer our customers the most innovative and quality hire solutions available.

Why Choose Us?



A reputation built-on quality, service and reliability. Our staff are truly experts in what they do, which means they are best-placed to advise you on the right solutions to achieve your goals. Our engineers and examiners are both LEEA and IPAF CAP certified and fully-equipped to carry out on-site repairs.



National network of 13 branches across the UK, making us best placed to deliver your hires when, and where, you need them.



One of the most comprehensive, youngest and best-maintained fleets in the industry; helping you to stay on-track with quality hires, every time.



Champions of innovative products. We bring you access to the latest solutions on the market – all designed to improve your safety and increase your productivity.



Supporting small-scale projects to landmark sites. We provide expert support and guidance from the very start of a project, through to completion. Our on-site Toolbox Talks and familiarisations will ensure you can be proficient using our equipment quickly, allowing you to tackle your tasks confidently and effectively. We can also arrange in-house IPAF and PASMA training on your behalf.



FORS Gold Certification across our entire network. We have demonstrated best practice across several areas of operations and fleet management, including; fuel efficiency, noise reduction, road risk, driver training and wellbeing, as well as communication.



Committed to Net Zero. As part of the Vp Group, we have pledged to achieve our Net Zero goals by 2050.

Our Customer Journey

Adding Value At The Heart Of Your Business...




Customer Focus

We have put your needs at the very heart of our business. With coverage across the UK, and one of the largest and best maintained fleets in the industry, we pride ourselves in not only meeting, but exceeding your expectations. We're confident that we can find whatever you need to get the job done safely and efficiently, so if you can't see it in our fleet, get in touch and we'll do our best to deliver for you.



Innovation & Expertise

We pride ourselves in the specialist knowledge, expertise and skills that we have built-up within our business. Our experts can help to ensure you have the right solutions, whatever your needs. We have close partnerships with manufacturers and we listen to what our customers tell us. This enables us to help develop products that better meet your needs.



Environment

We are aware of the impact our business has on the environment and it is our aim to ensure that we minimise any adverse impacts from our operations.



Investment

As part of the Vp Group, MEP Hire has a history spanning over 65 years. We are uniquely positioned to ensure that we can continue to invest in our fleet and network; enabling us to offer our customers the most innovative and quality hire solutions on the market.



Safety

We understand what your Health & Safety obligations are and can advise you on equipment that will help to reduce injury, whilst improving your productivity. Our dedicated service engineers are fully equipped to carry out on-site repairs. We can also arrange in-house IPAF and PASMA training for your colleagues.

National Coverage

With thirteen locations spread across the UK, we have truly national coverage.

MEP Hire Head Office

Unit K, Ashley Drive, Bothwell
Glasgow G71 8BS

T: 0800 587 5121

E: hire@mephire.co.uk



MEP HIRE ABERDEEN

Unit C6, Kintore Business Park,
Kintore, Aberdeen AB51 0YQ
T: 01224 444 195
E: mephireaberdeen@vpplc.com

MEP HIRE BIRMINGHAM

Unit 1 Alpha Park, Bevan Way,
Smethwick B66 1BZ
T: 01216 618 001
E: mephirebirmingham@vpplc.com

MEP HIRE BRISTOL

Unit B, St Vincents Trading Estate,
Feeder Road, St Philips, Bristol BS2 0UY
T: 01173 380 160
E: mephirebristol@vpplc.com

MEP HIRE BURTON

Unit A, Rolleston Trading Estate,
Hawkins Lane, Burton-on-Trent
DE14 1PT
T: 01283 530 777
E: mephireburton@vpplc.com

MEP HIRE CARDIFF

Unit 5 Riverside, Treforest
Industrial Estate, Pontypridd
CF37 5TG
T: 02921 507 810
E: mephirecardiff@vpplc.com

MEP HIRE DURHAM

Greta House, Unit 36,
Belmont Industrial Estate,
Durham DH1 1TT
T: 01913 841 384
E: mephiredurham@vpplc.com

MEP HIRE EDINBURGH

Unit 6A, Pitreavie Business Park,
Pitreavie Way, Dunfermline,
Fife KY11 8UX
T: 01383 452 020
E: mephireedinburgh@vpplc.com

MEP HIRE GLASGOW

Unit K, Ashley Drive, Bothwell,
Glasgow G71 8BS
T: 01698 811 114
E: mephireglasgow@vpplc.com

MEP HIRE LEEDS

Unit 2D, Elland Road Industrial
Estate, Leeds LS11 0EY
T: 01132 211 190
E: mephireleeds@vpplc.com

MEP HIRE MANCHESTER

Unit 2000, Fifth Street,
Trafford Park, Manchester
M17 1JX
T: 01619 046 200
E: mephiremanchester@vpplc.com

MEP HIRE RAINHAM

Unit 5, Consul Avenue,
Segro Industrial Park, Rainham,
Essex RM13 8HY
T: 020 8104 3140
E: mephirerainham@vpplc.com

MEP HIRE SITTINGBOURNE

Unit 11D, Dolphin Park,
Cremers Road, Eurolink,
Sittingbourne, Kent ME10 3HB
T: 01795 402 130
E: mephiresittingbourne@vpplc.com

MEP HIRE STAINES

Apex 30, 233-269 London Road,
Staines TW18 4JU
T: 01784 608 960
E: mephirestaines@vpplc.com

We are a FORS Gold Certified business demonstrating best practice in fleet management, including; fuel efficiency, noise reduction, road risk, driver training and wellbeing, as well as communication.



Hire With Confidence

Tracking your Order



Our drivers will provide **Proof of Delivery** and **Proof of Collection** with every hire, including taking pictures of items delivered and off-hired to site.

We can also provide you with regular order **status updates via SMS** and our **Track your Order** portal will keep you updated as to when we will arrive to deliver or collect your hires.

Safety & Compliance



We put **safety** and **compliance** at the very heart of our business to ensure the equipment we hire out is safe to use and will be compliant with all associated safety checks.

With this in mind, our hire agreement with you covers the following:

- Innovative corerfid process for LOLER Thorough Inspections and Certification
- Trained and accredited inspectors to meet IPAF CAP (Competent Person) and LEEA Standards.



LOLER



Protect accidental scheme: We provide an accident scheme to give you peace of mind that no additional charges will be made should accidental damage occur to your hire equipment. Further details are available at the point of hire.

Corporate Social Responsibility



As part of our Roadmap to Net Zero, we have already reduced our water consumption and switched to 100% renewable electricity across our sites.

We have also pledged to optimise fleet management initiatives in order to reduce the impact this has on the environment, as well as implementing other strategies to support local engagement with conservation projects. You can find out more at: www.vpplc.com/csr

We are also pleased to partner The Inter Group on the creation of this brochure who are able to offer carbon balanced paper which has been offset by direct action through the World Land Trust.

Proud To Be A Part Of The

Vp plc Group Of Businesses



Vp Airpac Rentals
Energy Industry Solutions

Airpac Rentals Energy Industry Solutions is an international business supporting a wide range of oil and gas markets, servicing well test, pipeline testing, rig maintenance and LNG markets worldwide.



Vp Brandon Hire Station
The UK's Tool and Equipment Hire Specialist

Brandon Hire Station is a leading provider of tools and specialist rental products to industry, construction and home owners across the UK.



Vp ESS
Safety, Survey, Test & Measurement

ESS is a specialist provider of safety, survey, communications and test and measurement equipment.



Vp Groundforce
Specialist Construction Solutions

Groundforce is the market leading rental provider of excavation support systems and specialist products for the water, civil engineering and construction industries.



Vp MEP Hire
Mechanical, Electrical & Low Level Access Specialists

MEP Hire provides mechanical, electrical, press-fitting and low level access products to the UK's building services trades.



Vp Torrent Trackside
Railway Plant, Railway People.

Specialist suppliers of rail infrastructure portable plant and related trackside services.



Vp TPA
Temporary Access Solutions

TPA Portable Roadways is one of Europe's largest suppliers of temporary access solutions.



Vp TR Group

TR is Australasia's leading technical equipment rental group providing test and measurement, communications, calibration and audio visual solutions.



Vp UK Forks
Materials Handling Specialists

UK Forks is one of the UK's leading specialist hirers of telescopic handlers and tracked access platforms.



Working At Heights

**Minimise Your Risks;
Improve Your Productivity**

Why Choose Low Level Access (LLA)?

The Working at Height Regulations 2005 aims to prevent death or injury caused by falls from height. Choosing the right equipment to support compliance, whilst improving productivity is easy with MEP Hire's LLA range.



The Benefits Of LLA



Safe

Our entire range has been designed to be the safest possible way of working at heights. Features include: fail-safe mechanisms, 'anti-surf' locking wheels, auto-brakes, safety gates and guards, as well as MEWP tags.



Quick & Simple

MEP Hire's LLA range is easy to use and much faster than traditional ladders or podiums to erect. In fact, the Pecolift takes just 11 seconds to reach full elevation.



Efficient

Our machines will help you to reduce the time it takes to complete tasks and increase your productivity. Our self-propelled machines can be operated whilst elevated, so are superb at completing repetitive tasks across a large area or site.



Reliable

MEP Hire's machines are tested and calibrated after each hire. This means you only receive equipment that is ready for the job. Our non-powered access machines are battery and electric free so avoid any downtime whilst charging batteries.



Versatile

We offer a wide range of machines to suit multiple applications and working heights of up to 6.5 metres. Our machines are designed to fit through standard doorways and in most passenger lifts and have non-marking tyres, suitable for use on finished floors.



Cost Effective

Our machines have been designed for versatility and can be used for multiple applications. This helps you to manage your costs and maximise usage of hire equipment. MEP Hire allow you to continue to hire our equipment for as long as you need it.



Sustainable


Our range includes machines that are non-powered, self-propelled and low noise; making them the sustainable and environmentally friendly choice.

Safety Comes First...

All users must have the appropriate training to operate LLA machines and we can help you to access this training if you need it. Our staff hold IPAF Demonstrator Licences and delivery staff can provide a Machine Familiarisation Service.

Each of the machines in our fleet goes through rigorous safety checks, including the LOLER examination. This ensures our machines are always compliant to the latest regulations and will keep your operators safe.

MEP Hire offer additional safety features for many of our access machines, making them the safest in the market. These include: MEWP tags, anti-climb guards and tool tethering options.



Working Safely At Heights

Save lives and improve your productivity with our robust, tried and tested range of safe-guarding and tool tethering options.

Working at height remains a significant risk to the UK's construction trades. In fact, falls from height account for 50% of fatalities in the construction sector.* By utilising MEP Hire's extensive LLA fleet, alongside our unparalleled experience and expertise, you can start to reduce the risk of injury and fatalities and the burden this has on your employees, as well as your business.

Dropped tools continue to pose a significant hazard for injury and fatalities. MEP Hire can provide you with access to a wide range of tool tethering solutions designed for excellent performance, tested in the harshest environments and approved by the most demanding health and safety professionals.

Our LLA machines have the option of coming with integrated anti-climb and tool tethering solutions. These are manufacturer approved and are designed to increase safety awareness and culture, whilst reducing the possibility of injury. Additionally, MEP Hire MEWP tags help to increase proper usage of our range of access machines.



Tool tethering



MEWP tags



Anti-climb guards

Tool Tethering

A simple system to secure every tool at height...



Tether Point

Create a secure attachment point on the tool.



Tool Lanyard

Choose the best tool lanyard for your task.



Anchor Point

Select between wristband, belt, harness or fixed point.



Storage

The most advanced tool safety bags and storage equipment designed for working at heights.

*Source: HSE, Construction Statistics in Great Britain, 2021

MEP Hire's LLA Range

We offer a wide range of machines to help you work safely at heights from 3.5 - 6.57 metres*, here's just a few of them...

*Working heights



Hire Code	020029 / 020035	020056	020036 / 020048	020018 / 020025	020019 / 020042	020012	020070	020009	020039	020054	020055
Operated by	Self-powered	Self-powered	Self-powered	Battery	Battery	Battery	Battery	Battery	Battery	Battery	Battery
Maximum working height	3.5 m	4.1 m	4.2 m	4.5 m	4.5 m	5 m	5 m	5.1 m	5.4 m Indoor / 4.6 m Outdoor	6.3 m Indoor / 5.66 m Outdoor	6.57 m Indoor / 5 m Outdoor
Maximum platform height	1.5 m	2.1 m	2.2 m	2.5 m	2.5 m	3 m	3 m	3.1 m	3.4 m Indoor / 2.6 m Outdoor	4.3 m Indoor / 3.66 m Outdoor	4.57 m Indoor / 3 m Outdoor
Platform size (LxW)	720 x 600 mm	680 x 590 mm	850 x 644 mm	1000 x 730 mm	1500 x 720 mm inc. cantilever	1010 x 520 mm	1100 x 520 mm	1520 x 750 mm	1280 x 630 mm	1400 x 770 mm	1430 x 760 mm
Working footprint (LxW)	985 x 700 mm	1200 x 700 mm	1280 x 700 mm	1119 x 750 mm	1119 x 750 mm	1200 x 750 mm	1200 x 750 mm	1600 x 780 mm	1280 x 760 mm	1400 x 770 mm	1430 x 760 mm
Closed dimensions (LxWxH)	985 x 700 x 1550 mm	1200 x 700 x 1680 mm	1280 x 700 x 1940 mm	1195 x 750 x 1560 mm	1200 x 750 x 1590 mm	1200 x 700 x 1800 mm	1200 x 750 x 1800 mm	1600 x 780 x 1850 mm	1280 x 760 x 1760 mm	1400 x 770 x 1880 mm	1430 x 760 x 1900 mm
Weight	180 kg	274 kg	305 kg / 315 kg	285 kg	478 kg	370 kg	370 kg	342 kg	375 kg	900 kg	880 kg
Maximum load	150 kg	125 kg	150 kg	200 kg	200 kg	240 kg	240 kg	250 kg	250 kg	227 kg	226.8 kg
Person operation	1 person	1 person	1 person	1 person	1 person	1 person	1 person	1 person	1 person	2 person Indoor 1 person Outdoor	1 person
Maximum gradient	0°	0°	0°	0°	1.8°	0°	0°	0°	0°	0°	3°
Indoor/outdoor use	Indoor	Indoor	Indoor	Indoor / Outdoor	Indoor/Outdoor	Indoor	Indoor	Indoor	Indoor / Outdoor	Indoor / Outdoor	Indoor / Outdoor
Time to reach full height	11 seconds	20 seconds	15 seconds	20 seconds	20 seconds	20 seconds	19 seconds	30 seconds	23 seconds	20 seconds	25 seconds
Safety features	Auto-braked on entering basket Auto-lock on elevation Dead Man's handle Fail to safe lifting mechanism	One hand full length gates Tool tray with tether facility Platform travel lock	Auto-lock on elevation Dead Man's handle Fail to safe lifting mechanism	Fail to safe hydraulic circuit Heavy-duty auto-lock wheels Emergency descent from ground level Audible ascent and descent drive alarm Tool tray with Nano Plus	Fail to safe hydraulic circuit Automatic pothole protection on elevation Tilt sensor complete with alarm and cut-out Auto basket load sensing and parking brake Automatic elevated drive-speed reduction	Saloon safety gates Anti-surf autobrake Emergency lowering lever Intelligent safety and monitoring Audible descent alarm Tilt sensor Fail to safe hydraulic circuit Hands protected	Auto-brake system, tilt sensor Saloon-door style entry gates Emergency lowering system	Fail to safe hydraulic circuit complete with check valve on lift cylinder Improved heavy-duty auto-lock wheels on elevation Emergency descent from ground-level Audible ascent and descent drive alarm Option to include confined space handrail	Tilt and overload warning lights, alarm, and interlocks Overhead obstruction detection with alarm frequency increase and interlocks Tilt sensor Single stage emergency descent	On-board diagnostic system with battery indicator Dual front wheel electric brakes Lift connect telematics Platform load sense system and control guard Electric horn and alarms	Direct electric drive system All motion alarm Dynamic braking Horn Load sensing system Tilt alarm and light
Additional safety features available	Anti-climb guards Tool tray Tool tethering MEWP Tag	Tool Tethering MEWP Tag	Anti-climb guards Tool tray Tool tethering MEWP Tag	Tool tray MEWP Tag Telematics	Tool tray MEWP Tag Telematics	MEWP Tag Telematics	MEWP Tag Telematics	MEWP Tag Telematics	MEWP Tag Telematics Anti-entrapment	MEWP Tag Safe Rack MHA Telematics	MEWP Tag Telematics



Commercial Fit-out

We have supported some major projects in the commercial fit-out sector, including work on offices, data centres and retail units.

Our focus is safety and productivity and we can support you to identify the best solutions for your projects' requirements. So, whether you need access machinery or innovative ideas for moving materials around site, then we can help with:

- LLA
- Lighting and power
- Dust and noise reduction
- Materials handling
- Site storage and security
- HVAC.

Feature Products...



Key Features



Auto-braked Panel Trolley

Hire Code: 310160

Designed to enable safe, secure and easy transfer of goods and materials around site.

- Safe working load of 2000 kg
- Two person operation
- Automatically brakes when stationary
- Conveniently located anchor points to secure load
- Compact footprint; fits commercial lifts
- Stackable for transport to site
- Forklift slots.



Key Features



Desk Surfer

Hire Code: 010235

An innovative, unfolding scaffolding system ideal for working in a live environment over low level obstructions, such as desks.

- Easily manoeuvrable, weighs just 380 kg and fits through a double door
- Single person operation, easy to set up in just five minutes
- Assembled at ground level with a single piece of equipment
- Reaches a maximum working height of 3.9 m
- Minimum load 90 kg to a maximum load of 150 kg.



Key Features



Alloy 250mm AGR Access Tower

Hire Code: see pages 32-39

A versatile and EN1004 compliant scaffold tower, suitable for both internal and external use by up to two people.

- Reaching working heights of up to 14 m
- Compact advanced guardrail system
- Single and double width options
- Easy to use and assemble
- Lightweight and strong
- No ladder frame required
- EN1004 Class 3 compliant.



Key Features



MiStair Alloy Tower

See pages 30-31

A quick and easy to assemble alloy tower, providing a safe, strong and robust access option around stair cases. Suitable for one person operation.

- Easy to assemble in just 20 minutes
- Available in 4.2 - 6.7 m working heights
- Compact design means it is the ideal scaffold to move into a narrow stairwell
- Circular welded and pinched claw-brace connections make it the strongest, most stable scaffolding of its kind.



Electrical Contractors

We have been providing hire tools to the electrical sector for over 20 years.

It's not just about hire tools; we can provide you with guidance, surveys, support, tool familiarisation and training.

We carry all the top brands, in the latest technology, to help you to install, crimp and cut electrical cables. We can also support your access needs to ensure you comply with your health and safety obligations.



Feature Products...



Cable Cutting and Crimping

See pages 50-51

MEP Hire stock a wide range of cable crimping tools suitable for multiple electrical settings.

- Available in a wide range of sizes, options and applications
- Easily portable
- Designed to maximise efficiency and productivity.



Key Features



Armorgard Spoolkart

Hire Code: 360199

Store, organise and operate multiple cable spools with this anti-tangle dispensing system with built-in, lockable storage.

- Mobile kart for storing, organising and operating with multiple spools
- Puncture proof, solid rubber wheels for easy transportation across all terrains
- Robust 2.5 mm steel construction with powder coating for maximum durability
- Three easy-to-load spool bars supplied with the unit as standard
- Three anti-tangle cable dispensers supplied as standard for ease of use
- Purpose designed cut out holes for storing pliers, wire cutters, screwdrivers and other hand tools
- A lockable storage box on the back for housing small tools – keeping your equipment accessible
- Stores multiple spools of cable.



Cable Drum Jacks

Hire Code: 375600

Pair of jacks perfect for lifting, supporting and distributing low and high voltage cable drums around site. Allows for efficient cable laying.

- Easy to handle
- Simple to operate
- Designed for stability, even on soft ground
- 6 tonne capacity
- Maximum drum diameter 1900 mm
- Maximum weight per pair 45 kg.



Key Features



Pecolift Plus

Hire Code: 020035

Battery and electric power-free, the Pecolift Plus reaches heights of up to 3.5 metres and is elevated by simply rotating a handle. Safer and more productive than the standard Pecolift machine, the Pecolift Plus incorporates a uniquely designed tool and fixings tray, along with additional guardrails.

- Elevates to 3.5 m
- Maximum load of 120 kg
- Lightweight and compact for easy manoeuvrability
- Reduces risks from dropped tools
- Eliminates platform clutter from deck, preventing trip and sprain hazards.



Fire Protection

With a high-level of experience within the fire protection sector, MEP Hire offer an extensive range of specialist products to install, test and maintain complex fire protection and sprinkler systems.

We provide best in class tools and equipment, supporting you both on and off-site. Our focus is on increasing safety, whilst improving your productivity.

We offer a wide range of products that will support you with:

- Passive fire protection
- Fire stopping, including sprinkler systems
- Structural steelwork protection
- Fire compartmentation
- Thermal insulation.

Feature Products...



Pipe Cutters

See pages 62-65

We stock an extensive range of cutters, covering most sizes and common materials used in UK construction.



Roll Groovers

See pages 62-65

No matter whether you are grooving thin wall stainless, copper or thick walled carbon steel pipe, we stock a wide range of manufacturers recommended for roll groovers, including; Victaulic, Grinnel Gruvlok, SPF and VSH Shurjoint.



Pressure Testers

See pages 72-73

A complete range of pressure testers from 1 - 100bar (14.5 - 1450 psi) are available for hydrostatic or air testing of pipework installations.



Micro Scissor Lift

Hire Code: 020055

Reach working heights of up to 6.5 metres safely and efficiently. Lightweight and easily manoeuvrable, this machine fits through standard doorways as well as personnel lifts and is suitable for both indoor and outdoor use.

- Highly manoeuvrable – easily fits through standard doorways and personnel lifts, weighing just 880 kg
- Direct Electric Drive system ensures improved efficiency through increased run times and reduction in faults
- Unique Variable Lift Technology enables you to work at greater inclines (up to 3%), whilst the machine display offers guidance on what is safe
- Access handling information and guidance directly from the machine; allowing operators to become confident quickly

Key Features





Heating, Ventilation & Refrigeration (HVAC)

We are focussed on delivering solutions that will enable you to become more efficient and productive, whilst giving you confidence that you're creating the right environment for your customers.

Our hire solutions put safety at their heart, supporting your compliance requirements, whilst being easy to use and considerate to the environment.

We offer a complete range of solutions, including:

- LLA
- Ductwork testing
- Materials handling
- Site storage and security.



Feature Products...



Key Features



ALF150 Duct Leakage Tester

Hire Code: 250168

The ALF150 provides you with an all-in-one instrument, covering everything you need to test for air leakage under positive and negative pressure. It's quick, easy to use and weighs just 20 kg; meaning it's easy to manoeuvre around site.

- Instant results; data can be downloaded to an SD card or USB drive for your records
- Configure parameters to your needs, including; duct size, test pressure, test duration and class
- Fully calibrated with UKAS traceable certificate and user manual
- Power supplied via a 110V 50 / 60Hz AC connection
- Entire measurements range covered by three easy to change nozzles designed to ISO5801:2007
- Capable of generating an airflow of up to 150 litres per second and testing static pressure up to 2500Pa.



Key Features



Spiral Duct Cutter With Nibbler

Hire Code: 250042

For cutting spiral ductwork on-site. Portable, with set-up in minutes, this cutter is suitable for cutting all types of spiral ductwork and can improve the efficiency of pipe installation on site. Saves time and costs and ensures clean cuts are delivered every time.

- Cuts spiral ductwork up to 0.9 mm in thickness
- Suitable for diameters of 80 – 315 mm
- Cuts lengths of up to 3 m.



Key Features



Auto Braked Ductwork Rack

Hire Code: 310130

MEP Hire's Ductwork Rack offers a flexible, moveable, safe and time-saving solution to the problem of on-site ductwork storage. With a mandatory requirement to cover all ductwork stored on-site, this cleverly designed solution does just that; whilst helping you to improve efficiency, prevent accidents and reduce wastage costs.

- Wrap-over protective cover sheets – easily secured with bungee cords
- Easy, two person manoeuvrability
- 750 g load capacity
- Autobrake feature for added safety
- Adjustable, two tier storage.



Key Features



Indoor Split Hoist

Hire Code: 365600

Eliminate the risk of drops and injury and speed up fit times when installing A/C cassette type units with the Indoor Split Hoist. Attaches quickly and easily to M8 and M10 stud, eliminating the need for manual lifting and handling.

- Attaches to M8 and M10 stud
- Portable and lightweight (comes in a carry bag)
- Lifts up to 4 metres in height
- Supports weights of up to 50 kg
- Operated by cordless drill; 19 mm socket 1/4 inch drive adaptor
- One person operation
- Environmentally friendly option
- Outdoor option available, just ask for more details.



Mechanical & Plumbing

MEP Hire is a trusted name in the industry, offering high quality and innovative tools for all your pipework and plumbing applications. We stock industry leading brands from Novopress, Viega and Geberit to Ridgid, Rems, Victaulic and Rothenberger.

We pride ourselves on being able to support all press-fit systems, sizes and materials with our extensive fleet. We also offer tools using the latest technologies, including Bluetooth, to help make your work more efficient and productive.

No matter what you want to achieve, we can help you with:

- Threading
- Cutting
- Grooving
- Freezing
- Bending
- Welding
- Pressure Testing
- Site storage and materials handling.

Feature Products...



Key Features



RIDGID 760 FXP™ Power Drive Threading Tool

Hire Code: 250215

Thread pipe quickly and precisely with the battery-powered RIDGID 760 FXP™ Power Drive.

- Cordless Freedom - complete up to 30, 2 Inch threads on a single charge with the FXP Battery Platform*
- Torque Reaction Shut-off - tool automatically shuts off if kickback is detected
- Workspace LEDs - LED near die head illuminates the work area
- End of Thread Indicator - LEDs indicate when the thread is nearing completion
- Palm Pad - eliminate the need to contact the diehead directly when starting the thread with a conveniently placed palm pad
- Connected - customise, monitor and manage your tool with the RIDGID Link App
- Compatibility - compatible with existing RIDGID die heads and the 258 & 258XL Pipe Cutters.

*Based on internal testing cutting 2 Inch NPT threads on schedule 40 steel pipe.



Key Features



StrutSlayr Strut Shear Head

See page 67

StrutSlayr attaches to RIDGID® 32kN press tools to deliver a fab shop quality, burr-free cut in 5 seconds or less. No grinding or sawing sparks - just a clean, consistent shear cut with a pull of a trigger.

- Fab shop quality: Burr-free cuts eliminate the need for extra filing
- Increased efficiency: clean, consistent cuts in 5 seconds or less
- Shear Cut: no grinding or sawing sparks
- Portable: easy to move around site and mounts to RIDGID TRISTANDS
- Built-in measuring guide: allows accuracy of cuts on-site.



Key Features



Compact Cutting Station 900S Plus With Index Saw

Hire Code: 310150

MEP Hire's 900s Compact Cutting Station has been designed to maximise safety through effective dust and noise reduction, whilst improving accessibility to tools across site with its easy manoeuvrability. Heavy-duty and weather-proof, this machine is fitted with a Ridgid 590L TCT Saw, alongside an additional built-in indexing turntable.

- Compact design, measuring just 900 mm width, 770 mm depth and 1860 mm height
- Powerful 2200W 110v chapsaw fixed to mitre index turntable
- Large cutting cross-section; 115 mm², 130 mm Ø or 180 x 95 mm
- Quick acting clamp for efficient and accurate cutting
- Multiple blades available for every purpose
- Index table fitted with speed lock lever.



Key Features



HDPE Butt Fusion Welder

Hire Code: 256055 / 256057

Powerful, easy-to-carry and high-performance machine. Ideal for a range of plastic pipe installations.

- Suitable for work on-site and in the workshop
- Options available for 40-160 mm and 90-315 mm pipework
- Multiple pipe rest insert sizes
- Sheet steel base with installed drawer operating key
- Closed sheet steel underframe (transport box).



Utilities & Fabricators

We offer a wide range of tools that will support all of your utilities and fabricator needs.

We have got you covered, no-matter what job you're facing, including:

- Electro-fusion equipment fitted with barcode readers and data download facilities
- Butt-fusion equipment
- Scrapers and squeeze-off tools
- Auxiliary products such as; stands, pipe supports, work benches and cutters.

Feature Products...



Key Features




Pipe Bogey

Hire Code: 360177

Designed to be flipped on its side and, once pipe is loaded, can be flipped back onto its wheels to reduce manual handling issues.

- Capable of transporting up to 6.1 m of pipe weighing up to 450 kg
- Welded construction with a powder-coated finish
- Detachable steering arm for ease of storage
- Two heavy duty, solid rubber tyre wheels
- Load tested to 500 kg.



Key Features



Welding Tent

Hire Code: 340150

Keep welding on-site in all weathers with this quick and easy to erect tent from Wilkinson Star.

- Fast to put up
- Offers greater flexibility for welding on-site
- Water tight and wind-proof.



Brugg Pipework

See pages 48-49

We offer a range of Brugg Pipework products for various applications in press-fitting, covering press systems including: Brugg, Calpex, Everloc, Jentro, PEX and Rehau.

- Heating
- Industrial systems
- Filling and tank stations
- Cryogenic applications
- Bio Fermenter heating.



Access

No matter what your access needs, our range of LLA and Alloy products have been designed to keep you safe, help you to comply with your HSE obligations and increase your productivity. All Alloy towers now comply with the latest EN BS 1004-1 standard.

Suitable For...



Commercial
Fit-out



Electrical
Contractors



Fire
Protection



Heating, Ventilation
& Refrigeration
(HVAC)




Mechanical
& Plumbing



Utilities &
Fabricators

Access Product Information



020055 Micro Scissor Lift (pages 30–31)



020012 Pop Up Pro IQ10 (pages 30–31)



020054 Genie GS-1432 Scissor Lift (pages 30–31)



020029 Pecolift (pages 30–31)



020070 Snorkel 3010P Scissor Lift (pages 30–31)

Access Product Information

Hire Code	Description	Product Range	Width (m)	Length (m)	Height (m)	Weight (kg)	Working Height (m)	Platform Height (m)	IPAF Approved							
020035	Pecolift Plus 1.5 m	Low Level Access	0.72	0.99	1.55	190	3.5	1.5	✓	✓	✓	✓	✓	✓	✓	✓
020029	Pecolift 1.5 m	Low Level Access	0.72	0.99	1.55	180	3.5	1.5	✓	✓	✓	✓	✓	✓	✓	✓
020032	Pecolift Ultima 1.5 m	Low Level Access	0.72	0.99	1.55	182	3.5	1.5	✓	✓	✓	✓	✓	✓	✓	✓
020052	Pecolift Anti Climb Side Guard Only	Low Level Access	0.75	-	0.95	25	-	-	✓	✓	✓	✓	✓	✓	✓	✓
020036	Ecolift 2.2 m	Low Level Access	0.7	1.28	1.94	305	4.2	2.2	✓	✓	✓	✓	✓	✓	✓	✓
020048	Ecolift Ultima 2.2 m	Low Level Access	0.7	1.28	1.94	315	4.2	2.2	✓	✓	✓	✓	✓	✓	✓	✓
020037	Ecolift Wind Rated 2.2 m	Low Level Access	0.7	1.28	1.94	335	4.2	2.2	✓	✓	✓	✓	✓	✓	✓	✓
020038	Ecolift Ultima Wind Rated 2.2 m	Low Level Access	0.7	1.28	1.94	337	4.2	2.2	✓	✓	✓	✓	✓	✓	✓	✓
020049	Ecolift Ultima X Wind Rated 2.2 m	Low Level Access	0.95	1.28	1.95	354	4.2	2.2	✓	✓	-	✓	✓	✓	✓	✓
020043	Ecolift Anti Climb Side Guard Only	Low Level Access	0.75	-	0.95	25	-	-	✓	✓	✓	✓	✓	✓	✓	✓
020011	Confined Space Handrail	Low Level Access	0.5	0.5	1.2	25	-	-	✓	✓	✓	✓	✓	✓	✓	✓
020018	Nano 2.5 m	Low Level Access	0.75	1.2	1.56	285	4.5	2.5	✓	✓	✓	✓	✓	✓	✓	✓
020025	Nano Plus 2.5 m	Low Level Access	0.75	1.2	1.56	295	4.5	2.5	✓	✓	✓	✓	✓	✓	✓	✓
020019	Nano SP	Low Level Access	0.75	1.2	1.59	478	4.5	2.5	✓	✓	✓	✓	✓	✓	✓	✓
020042	Nano SP Ultima	Low Level Access	0.75	1.2	1.59	488	4.5	2.5	✓	✓	✓	✓	✓	✓	✓	✓
020012	Pop Up Pro IQ10 3 m	Low Level Access	0.76	1.23	1.78	370	5	3	✓	✓	✓	✓	✓	✓	✓	✓
020056	Pop Up Pro IQ7 Active Platform Lift 2.1 m	Low Level Access	0.7	1.2	1.68	274	4.1	2.1	✓	✓	✓	✓	✓	✓	✓	✓
020009	Power Tower 3.1 m	Low Level Access	0.78	1.6	1.85	342	5.1	3.1	✓	✓	✓	✓	✓	✓	✓	✓
020055	Micro Scissor Lift 4.5 m	Low Level Access	0.76	1.4	1.9	880	6.5	4.5	✓	✓	✓	✓	✓	✓	✓	✓
020054	Genie Scissor Lift 4.3 m	Low Level Access	0.81	1.4	1.88	900	6.3	4.3	✓	✓	✓	✓	✓	✓	✓	✓
020039	BOSS PA Platform Scissor Lift 3.4 m	Low Level Access	0.63	1.28	3.4	375	5.4	3.4	✓	✓	✓	✓	✓	✓	✓	✓
020070	Snorkel 3010P Scissor Lift 3 m	Low Level Access	0.75	1.2	1.8	370	5	3	✓	✓	-	-	✓	✓	✓	-
010235	Desk Surfer	Alloy Access	0.7	1.2	1.93	90	3.92	1.92	✓	✓	✓	-	✓	✓	✓	-
010205	Folding Work Platform	Alloy Access	0.73	1.85	2	26	3.8	1.8	✓	✓	✓	-	✓	✓	✓	-
010204	Eurotower (Klikfold) Folding Rig	Alloy Access	0.7	2	2.75	56	3.75	1.75	-	✓	✓	-	✓	✓	✓	-
010221	Delta Deck Platform 0.45 – 0.87 m	Alloy Access	0.76	1.12	1.9	27	2.87	0.87	✓	✓	✓	-	✓	✓	✓	-
010224	Podium Step Platform 1 m BS8620	Alloy Access	0.65	1.37	2.01	33	3	1	✓	✓	✓	-	✓	✓	✓	-
010226	Podium Step Platform 1.2 m BS8620	Alloy Access	0.65	1.37	2.26	35	3.25	1.25	✓	✓	✓	-	✓	✓	✓	-
010227	Podium Step Platform 1.5 m BS8620	Alloy Access	0.65	1.37	2.51	40	3.5	1.5	✓	✓	✓	-	✓	✓	✓	-
010233	Stepfold 1 Pod 1 – 1.2 m with Swing Gate	Alloy Access	0.6	0.65	2.2	41	2 – 2.2	1 – 1.2	-	✓	✓	-	✓	✓	✓	-
010234	Stepfold 2 Pod 1.2 – 1.45 m with Swing Gate	Alloy Access	0.6	0.65	2.45	48	2.2 – 2.45	1.2 – 1.45	-	✓	✓	-	✓	✓	✓	-
020111	MiTower One Person 4, 5, 6 m Working Height	Alloy Tower	0.8	1.17	1.5	109.4	6	4	✓	✓	✓	✓	✓	✓	✓	✓
020112	MiTower Two Person 4, 5, 6 m Working Height	Alloy Tower	0.8	1.6	1.5	126.1	6	4	✓	✓	✓	✓	✓	✓	✓	✓
MTPLUSEXTN1	MiTower Two Person Extension Pack 1 m	Alloy Tower	0.8	1.6	1	25	7	5	✓	✓	✓	✓	✓	✓	✓	✓
MTPLUSEXTN2	MiTower Two Person Extension Pack 2 m	Alloy Tower	0.7	1.6	2	42	8	6	✓	✓	✓	✓	✓	✓	✓	✓
MISTAIR42	MiStair 4.2 m Working Height	Alloy Tower	0.73	1.17	3.2	67.7	4.2	2.2	✓	✓	✓	✓	✓	✓	✓	✓
MISTAIR47	MiStair 4.7 m Working Height	Alloy Tower	0.73	1.17	3.7	75.4	4.7	2.7	✓	✓	✓	✓	✓	✓	✓	✓
MISTAIR62	MiStair 6.2 m Working Height	Alloy Tower	0.73	1.17	5.2	101	6.2	4.2	✓	✓	✓	✓	✓	✓	✓	✓
MISTAIR67	MiStair 6.7 m Working Height	Alloy Tower	0.73	1.17	5.7	106.7	6.7	4.7	✓	✓	✓	✓	✓	✓	✓	✓
010284	Telescopic Work Platform 0.93 – 1.32 m	Steps	0.7	0.25	2.59	25.2	3.32	0.93–1.32	✓	✓	✓	-	✓	✓	✓	✓
010288	Telescopic Platform Steps – 6 Tread	Steps	0.7	0.25	2.85	28.2	3.79	1.39–1.79	✓	✓	✓	-	✓	✓	✓	✓
010286	Telescopic Platform Steps – 9 Tread	Steps	0.7	0.25	2.59	27.1	3.56	1.16–1.56	✓	✓	✓	-	✓	✓	✓	✓
010900	GRP E Wide Platform Step 3T 0.85 – 2.60 m	Steps	0.65	0.3	2.08	14.3	2.6	0.85	✓	✓	✓	-	✓	✓	✓	✓
010905	GRP E Wide Platform Step 4T 1.13 – 2.88 m	Steps	0.65	0.3	2.38	15.9	2.88	1.13	✓	✓	✓	-	✓	✓	✓	✓
010910	GRP E Wide Platform Step 5T 1.39 – 3.14 m	Steps	0.65	0.3	2.68	17.2	3.14	1.39	✓	✓	✓	-	✓	✓	✓	✓
010915	GRP E Wide Platform Step 6T 1.68 – 3.44 m	Steps	0.65	0.3	2.98	20.4	3.44	1.68	✓	✓	✓	-	✓	✓	✓	✓
010920	GRP E Wide Platform Step 7T 1.96 – 3.71 m	Steps	0.65	0.3	3.28	21.8	3.71	1.96	✓	✓	✓	-	✓	✓	✓	✓
010925	GRP E Wide Platform Step 8T 2.24 – 3.99 m	Steps	0.65	0.3	3.58	23.8	3.99	2.24	✓	✓	✓	-	✓	✓	✓	✓

KEY

 Ideal for Quiet Spaces

 Cordless

 Innovative Solution

 Health & Safety Approved

 Zero Emissions

 Eco-friendly Product

 Ideal for Compact Spaces

Access Product Information

Hire Code	Description	Product Range	Width (m)	Length (m)	Height (m)	Weight (kg)	Working Height (m)	Platform Height (m)	IPAF Approved							
010930	GRP Step Ladder 5T 0.54 – 2.29 m	Steps	0.58	0.25	1.53	8.05	2.29	0.54	✓	✓	✓	-	✓	✓	✓	✓
010935	GRP Step Ladder 6T 0.82 – 2.57 m	Steps	0.58	0.25	1.83	9.35	2.57	0.82	✓	✓	✓	-	✓	✓	✓	✓
010940	GRP Step Ladder 8T 1.38 – 3.13 m	Steps	0.58	0.25	2.43	12.55	3.13	1.38	✓	✓	✓	-	✓	✓	✓	✓
010945	GRP Step Ladder 10T 1.93 – 3.68 m	Steps	0.58	0.25	3.03	16.05	3.68	1.93	✓	✓	✓	-	✓	✓	✓	✓
010289	Combination Ladder 1.9 – 2.7 m	Steps	0.9	2.16	-	13	4.08	-	✓	✓	✓	-	✓	✓	✓	✓
010290	Combination Ladder 2.5 – 5.8 m	Steps	1.2	2.72	-	19	5.10	-	✓	✓	✓	-	✓	✓	✓	✓
010295	Combination Ladder 3.0 – 6.9 m	Steps	1.35	3.28	-	24	6.19	-	✓	✓	✓	-	✓	✓	✓	✓
010300	Combination Ladder 3.5 – 8.6 m	Steps	1.35	3.84	-	32.5	7.24	-	✓	✓	✓	-	✓	✓	✓	✓
P22NW18-250	Alloy 250 Tower 2.2 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	2.2	71	3.2	1.2	✓	✓	✓	-	✓	✓	✓	✓
P22NW25-250	Alloy 250 Tower 2.2 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	2.2	82	3.2	1.2	✓	✓	✓	-	✓	✓	✓	✓
P27NW18-250	Alloy 250 Tower 2.7 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	2.7	80	3.7	1.7	✓	✓	✓	-	✓	✓	✓	✓
P27NW25-250	Alloy 250 Tower 2.7 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	2.7	92	3.7	1.7	✓	✓	✓	-	✓	✓	✓	✓
P32NW18-250	Alloy 250 Tower 3.2 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	3.2	104	4.2	2.2	✓	✓	✓	-	✓	✓	✓	✓
P32NW25-250	Alloy 250 Tower 3.2 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	3.2	115	4.2	2.2	✓	✓	✓	-	✓	✓	✓	✓
P37NW18-250	Alloy 250 Tower 3.7 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	3.7	132	4.7	2.7	✓	✓	✓	-	✓	✓	✓	✓
P37NW25-250	Alloy 250 Tower 3.7 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	3.7	151	4.7	2.7	✓	✓	✓	-	✓	✓	✓	✓
P42NW18-250	Alloy 250 Tower 4.2 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	4.2	136	5.2	3.2	✓	✓	✓	-	✓	✓	✓	✓
P42NW25-250	Alloy 250 Tower 4.2 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	4.2	155	5.2	3.2	✓	✓	✓	-	✓	✓	✓	✓
P47NW18-250	Alloy 250 Tower 4.7 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	4.7	145	5.7	3.7	✓	✓	✓	-	✓	✓	✓	✓
P47NW25-250	Alloy 250 Tower 4.7 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	4.7	165	5.7	3.7	✓	✓	✓	-	✓	✓	✓	✓
P52NW18-250	Alloy 250 Tower 5.2 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	5.2	149	6.2	4.2	✓	✓	✓	-	✓	✓	✓	✓
P52NW25-250	Alloy 250 Tower 5.2 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	5.2	169	6.2	4.2	✓	✓	✓	-	✓	✓	✓	✓
P57NW18-250	Alloy 250 Tower 5.7 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	5.7	157	6.7	4.7	✓	✓	✓	-	✓	✓	✓	✓
P57NW25-250	Alloy 250 Tower 5.7 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	5.7	178	6.7	4.7	✓	✓	✓	-	✓	✓	✓	-
P62NW18-250	Alloy 250 Tower 6.2 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	6.2	161	7.2	5.2	✓	✓	✓	-	✓	✓	✓	-
P62NW25-250	Alloy 250 Tower 6.2 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	6.2	182	7.2	5.2	✓	✓	✓	-	✓	✓	✓	-
P67NW18-250	Alloy 250 Tower 6.7 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	6.7	190	7.7	5.7	✓	✓	✓	-	✓	✓	✓	-
P67NW25-250	Alloy 250 Tower 6.7 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	6.7	218	7.7	5.7	✓	✓	✓	-	✓	✓	✓	-
P72NW18-250	Alloy 250 Tower 7.2 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	7.2	194	8.2	6.2	✓	✓	✓	-	✓	✓	✓	-
P72NW25-250	Alloy 250 Tower 7.2 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	7.2	222	8.2	6.2	✓	✓	✓	-	✓	✓	✓	-
P77NW18-250	Alloy 250 Tower 7.7 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	7.7	222	8.7	6.7	✓	✓	✓	-	✓	✓	✓	-
P77NW25-250	Alloy 250 Tower 7.7 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	7.7	258	8.7	6.7	✓	✓	✓	-	✓	✓	✓	-
P82NW18-250	Alloy 250 Tower 8.2 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	8.2	232	9.2	7.2	✓	✓	✓	-	✓	✓	✓	-
P82NW25-250	Alloy 250 Tower 8.2 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	8.2	268	9.2	7.2	✓	✓	✓	-	✓	✓	✓	-
P87NW18-250	Alloy 250 Tower 8.7 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	8.7	241	9.7	7.7	✓	✓	✓	-	✓	✓	✓	-
P87NW25-250	Alloy 250 Tower 8.7 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	8.7	278	9.7	7.7	✓	✓	✓	-	✓	✓	✓	-
P92NW18-250	Alloy 250 Tower 9.2 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	9.2	245	10.2	8.2	✓	✓	✓	-	✓	✓	✓	-
P92NW25-250	Alloy 250 Tower 9.2 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	9.2	282	10.2	8.2	✓	✓	✓	-	✓	✓	✓	-
P97NW18-250	Alloy 250 Tower 9.7 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	9.7	268	10.7	8.7	✓	✓	✓	-	✓	✓	✓	-
P97NW25-250	Alloy 250 Tower 9.7 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	9.7	312	10.7	8.7	✓	✓	✓	-	✓	✓	✓	-
P102NW18-250	Alloy 250 Tower 10.2 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	10.2	272	11.2	9.2	✓	✓	✓	-	✓	✓	✓	-
P102NW25-250	Alloy 250 Tower 10.2 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	10.2	316	11.2	9.2	✓	✓	✓	-	✓	✓	✓	-
P107NW18-250	Alloy 250 Tower 10.7 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	10.7	281	11.7	9.7	✓	✓	✓	-	✓	✓	✓	-
P107NW25-250	Alloy 250 Tower 10.7 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	10.7	326	11.7	9.7	✓	✓	✓	-	✓	✓	✓	-
P112NW18-250	Alloy 250 Tower 11.2 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	11.2	285	12.2	10.2	✓	✓	✓	-	✓	✓	✓	-
P112NW25-250	Alloy 250 Tower 11.2 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	11.2	330	12.2	10.2	✓	✓	✓	-	✓	✓	✓	-
P117NW18-250	Alloy 250 Tower 11.7 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	11.7	313	12.7	10.7	✓	✓	✓	-	✓	✓	✓	-
P117NW25-250	Alloy 250 Tower 11.7 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	11.7	365	12.7	10.7	✓	✓	✓	-	✓	✓	✓	-

KEY  Ideal for Quiet Spaces  Cordless  Innovative Solution  Health & Safety Approved  Zero Emissions  Eco-friendly Product  Ideal for Compact Spaces

Access Product Information

Hire Code	Description	Product Range	Width (m)	Length (m)	Height (m)	Weight (kg)	Working Height (m)	Platform Height (m)	IPAF Approved							
P122NW18-250	Alloy 250 Tower 12.2 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	12.2	317	13.2	11.2	✓	✓	✓	-	✓	✓	✓	-
P122NW25-250	Alloy 250 Tower 12.2 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	12.2	369	13.2	11.2	✓	✓	✓	-	✓	✓	✓	-
P127NW18-250	Alloy 250 Tower 12.7 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	12.7	326.0	13.7	11.7	✓	✓	✓	-	✓	✓	✓	-
P127NW25-250	Alloy 250 Tower 12.7 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	12.7	379.0	13.7	11.7	✓	✓	✓	-	✓	✓	✓	-
P132NW18-250	Alloy 250 Tower 13.2 m Single Deck 1.8 m	Alloy Tower	0.85	1.8	13.2	330	14.2	12.2	✓	✓	✓	-	✓	✓	✓	-
P132NW25-250	Alloy 250 Tower 13.2 m Single Deck 2.5 m	Alloy Tower	0.85	2.5	13.2	383	14.2	12.2	✓	✓	✓	-	✓	✓	✓	-
P22SW18-250	Alloy 250 Tower 2.2 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	2.2	70	3.2	1.2	✓	✓	✓	-	✓	✓	✓	✓
P22SW25-250	Alloy 250 Tower 2.2 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	2.2	87	3.2	1.2	✓	✓	✓	-	✓	✓	✓	✓
P27SW18-250	Alloy 250 Tower 2.7 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	2.7	94	3.7	1.7	✓	✓	✓	-	✓	✓	✓	✓
P27SW25-250	Alloy 250 Tower 2.7 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	2.7	98	3.7	1.7	✓	✓	✓	-	✓	✓	✓	✓
P32SW18-250	Alloy 250 Tower 3.2 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	3.2	136	4.2	2.2	✓	✓	✓	-	✓	✓	✓	✓
P32SW25-250	Alloy 250 Tower 3.2 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	3.2	122	4.2	2.2	✓	✓	✓	-	✓	✓	✓	✓
P37SW18-250	Alloy 250 Tower 3.7 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	3.7	183	4.7	2.7	✓	✓	✓	-	✓	✓	✓	✓
P37SW25-250	Alloy 250 Tower 3.7 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	3.7	158	4.7	2.7	✓	✓	✓	-	✓	✓	✓	✓
P42SW18-250	Alloy 250 Tower 4.2 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	4.2	188	5.2	3.2	✓	✓	✓	-	✓	✓	✓	✓
P42SW25-250	Alloy 250 Tower 4.2 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	4.2	163	5.2	3.2	✓	✓	✓	-	✓	✓	✓	✓
P47SW18-250	Alloy 250 Tower 4.7 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	4.7	212	5.7	3.7	✓	✓	✓	-	✓	✓	✓	✓
P47SW25-250	Alloy 250 Tower 4.7 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	4.7	174	5.7	3.7	✓	✓	✓	-	✓	✓	✓	✓
P52SW18-250	Alloy 250 Tower 5.2 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	5.2	217	6.2	4.2	✓	✓	✓	-	✓	✓	✓	✓
P52SW25-250	Alloy 250 Tower 5.2 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	5.2	179	6.2	4.2	✓	✓	✓	-	✓	✓	✓	✓
P57SW18-250	Alloy 250 Tower 5.7 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	5.7	252	6.7	4.7	✓	✓	✓	-	✓	✓	✓	-
P57SW25-250	Alloy 250 Tower 5.7 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	5.7	188	6.7	4.7	✓	✓	✓	-	✓	✓	✓	-
P62SW18-250	Alloy 250 Tower 6.2 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	6.2	257	7.2	5.2	✓	✓	✓	-	✓	✓	✓	-
P62SW25-250	Alloy 250 Tower 6.2 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	6.2	193	7.2	5.2	✓	✓	✓	-	✓	✓	✓	-
P67SW18-250	Alloy 250 Tower 6.7 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	6.7	294	7.7	5.7	✓	✓	✓	-	✓	✓	✓	-
P67SW25-250	Alloy 250 Tower 6.7 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	6.7	231	7.7	5.7	✓	✓	✓	-	✓	✓	✓	-
P72SW18-250	Alloy 250 Tower 7.2 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	7.2	299	8.2	6.2	✓	✓	✓	-	✓	✓	✓	-
P72SW25-250	Alloy 250 Tower 7.2 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	7.2	235	8.2	6.2	✓	✓	✓	-	✓	✓	✓	-
P77SW18-250	Alloy 250 Tower 7.7 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	7.7	346	8.7	6.7	✓	✓	✓	-	✓	✓	✓	-
P77SW25-250	Alloy 250 Tower 7.7 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	7.7	272	8.7	6.7	✓	✓	✓	-	✓	✓	✓	-
P82SW18-250	Alloy 250 Tower 8.2 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	8.2	334	9.2	7.2	✓	✓	✓	-	✓	✓	✓	-
P82SW25-250	Alloy 250 Tower 8.2 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	8.2	282	9.2	7.2	✓	✓	✓	-	✓	✓	✓	-
P87SW18-250	Alloy 250 Tower 8.7 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	8.7	358	9.7	7.7	✓	✓	✓	-	✓	✓	✓	-
P87SW25-250	Alloy 250 Tower 8.7 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	8.7	293	9.7	7.7	✓	✓	✓	-	✓	✓	✓	-
P92SW18-250	Alloy 250 Tower 9.2 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	9.2	363	10.2	8.2	✓	✓	✓	-	✓	✓	✓	-
P92SW25-250	Alloy 250 Tower 9.2 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	9.2	298	10.2	8.2	✓	✓	✓	-	✓	✓	✓	-
P97SW18-250	Alloy 250 Tower 9.7 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	9.7	427	10.7	8.7	✓	✓	✓	-	✓	✓	✓	-
P97SW25-250	Alloy 250 Tower 9.7 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	9.7	329	10.7	8.7	✓	✓	✓	-	✓	✓	✓	-
P102SW18-250	Alloy 250 Tower 10.2 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	10.2	432	11.2	9.2	✓	✓	✓	-	✓	✓	✓	-
P102SW25-250	Alloy 250 Tower 10.2 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	10.2	333	11.2	9.2	✓	✓	✓	-	✓	✓	✓	-
P107SW18-250	Alloy 250 Tower 10.7 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	10.7	456	11.7	9.7	✓	✓	✓	-	✓	✓	✓	-
P107SW25-250	Alloy 250 Tower 10.7 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	10.7	344	11.7	9.7	✓	✓	✓	-	✓	✓	✓	-
P112SW18-250	Alloy 250 Tower 11.2 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	11.2	461	12.2	10.2	✓	✓	✓	-	✓	✓	✓	-
P112SW25-250	Alloy 250 Tower 11.2 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	11.2	349	12.2	10.2	✓	✓	✓	-	✓	✓	✓	-
P117SW18-250	Alloy 250 Tower 11.7 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	11.7	508	12.7	10.7	✓	✓	✓	-	✓	✓	✓	-
P117SW25-250	Alloy 250 Tower 11.7 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	11.7	385	12.7	10.7	✓	✓	✓	-	✓	✓	✓	-
P122SW18-250	Alloy 250 Tower 12.2 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	12.2	513	13.2	11.2	✓	✓	✓	-	✓	✓	✓	-
P122SW25-250	Alloy 250 Tower 12.2 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	12.2	390.0	13.2	11.2	✓	✓	✓	-	✓	✓	✓	-

KEY  Ideal for Quiet Spaces  Cordless  Innovative Solution  Health & Safety Approved  Zero Emissions  Eco-friendly Product  Ideal for Compact Spaces

Access Product Information

Hire Code	Description	Product Range	Width (m)	Length (m)	Height (m)	Weight (kg)	Working Height (m)	Platform Height (m)	IPAF Approved							
P127SW18-250	Alloy 250 Tower 12.7 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	12.7	538.0	13.7	11.7	✓	✓	✓	-	✓	✓	✓	-
P127SW25-250	Alloy 250 Tower 12.7 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	12.7	401.0	13.7	11.7	✓	✓	✓	-	✓	✓	✓	-
P132SW18-250	Alloy 250 Tower 13.2 m Double Deck 1.8 m	Alloy Tower	1.45	1.8	13.2	543.0	14.2	12.2	✓	✓	✓	-	✓	✓	✓	-
P132SW25-250	Alloy 250 Tower 13.2 m Double Deck 2.5 m	Alloy Tower	1.45	2.5	13.2	406.0	14.2	12.2	✓	✓	✓	-	✓	✓	✓	-
P32NW18-AGR250	Alloy 250 AGR Tower 3.2 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	3.2	104.9	4.2	2.2	✓	✓	✓	-	✓	✓	✓	-
P32NW25-AGR250	Alloy 250 AGR Tower 3.2 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	3.2	117.0	4.2	2.2	✓	✓	✓	-	✓	✓	✓	-
P37NW18-AGR250	Alloy 250 AGR Tower 3.7 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	3.7	122.4	4.7	2.7	✓	✓	✓	-	✓	✓	✓	-
P37NW25-AGR250	Alloy 250 AGR Tower 3.7 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	3.7	139	4.7	2.7	✓	✓	✓	-	✓	✓	✓	-
P47NW18-AGR250	Alloy 250 AGR Tower 4.7 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	4.7	145.7	5.7	3.7	✓	✓	✓	-	✓	✓	✓	-
P47NW25-AGR250	Alloy 250 AGR Tower 4.7 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	4.7	166	5.7	3.7	✓	✓	✓	-	✓	✓	✓	-
P52NW18-AGR250	Alloy 250 AGR Tower 5.2 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	5.2	149.7	6.2	4.2	✓	✓	✓	-	✓	✓	✓	-
P52NW25-AGR250	Alloy 250 AGR Tower 5.2 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	5.2	170	6.2	4.2	✓	✓	✓	-	✓	✓	✓	-
P57NW18-AGR250	Alloy 250 AGR Tower 5.7 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	5.7	167.2	6.7	4.7	✓	✓	✓	-	✓	✓	✓	-
P57NW25-AGR250	Alloy 250 AGR Tower 5.7 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	5.7	192	6.7	4.7	✓	✓	✓	-	✓	✓	✓	-
P67NW18-AGR250	Alloy 250 AGR Tower 6.7 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	6.7	190.5	7.7	5.7	✓	✓	✓	-	✓	✓	✓	-
P67NW25-AGR250	Alloy 250 AGR Tower 6.7 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	6.7	219	7.7	5.7	✓	✓	✓	-	✓	✓	✓	-
P72NW18-AGR250	Alloy 250 AGR Tower 7.2 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	7.2	194.5	8.2	6.2	✓	✓	✓	-	✓	✓	✓	-
P72NW25-AGR250	Alloy 250 AGR Tower 7.2 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	7.2	223	8.2	6.2	✓	✓	✓	-	✓	✓	✓	-
P77NW18-AGR250	Alloy 250 AGR Tower 7.7 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	7.7	217.6	8.7	6.7	✓	✓	✓	-	✓	✓	✓	-
P77NW25-AGR250	Alloy 250 AGR Tower 7.7 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	7.7	251	8.7	6.7	✓	✓	✓	-	✓	✓	✓	-
P87NW18-AGR250	Alloy 250 AGR Tower 8.7 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	8.7	241	9.7	7.7	✓	✓	✓	-	✓	✓	✓	-
P87NW25-AGR250	Alloy 250 AGR Tower 8.7 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	8.7	278	9.7	7.7	✓	✓	✓	-	✓	✓	✓	-
P92NW18-AGR250	Alloy 250 AGR Tower 9.2 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	9.2	245	10.2	8.2	✓	✓	✓	-	✓	✓	✓	-
P92NW25-AGR250	Alloy 250 AGR Tower 9.2 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	9.2	282	10.2	8.2	✓	✓	✓	-	✓	✓	✓	-
P97NW18-AGR250	Alloy 250 AGR Tower 9.7 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	9.7	256.7	10.7	8.7	✓	✓	✓	-	✓	✓	✓	-
P97NW25-AGR250	Alloy 250 AGR Tower 9.7 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	9.7	298	10.7	8.7	✓	✓	✓	-	✓	✓	✓	-
P107NW18-AGR250	Alloy 250 AGR Tower 10.7 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	10.7	280.1	11.7	9.7	✓	✓	✓	-	✓	✓	✓	-
P107NW25-AGR250	Alloy 250 AGR Tower 10.7 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	10.7	325	11.7	9.7	✓	✓	✓	-	✓	✓	✓	-
P112NW18-AGR250	Alloy 250 AGR Tower 11.2 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	11.2	284.1	12.2	10.2	✓	✓	✓	-	✓	✓	✓	-
P112NW25-AGR250	Alloy 250 AGR Tower 11.2 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	11.2	329	12.2	10.2	✓	✓	✓	-	✓	✓	✓	-
P117NW18-AGR250	Alloy 250 AGR Tower 11.7 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	11.7	307.2	12.7	10.7	✓	✓	✓	-	✓	✓	✓	-
P117NW25-AGR250	Alloy 250 AGR Tower 11.7 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	11.7	357	12.7	10.7	✓	✓	✓	-	✓	✓	✓	-
P127NW18-AGR250	Alloy 250 AGR Tower 12.7 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	12.7	330.5	13.7	11.7	✓	✓	✓	-	✓	✓	✓	-
P127NW25-AGR250	Alloy 250 AGR Tower 12.7 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	12.7	383	13.7	11.7	✓	✓	✓	-	✓	✓	✓	-
P132NW18-AGR250	Alloy 250 AGR Tower 13.2 m Single Deck AGR 1.8 m	Alloy Tower	0.85	1.8	13.2	334.5	14.2	12.2	✓	✓	✓	-	✓	✓	✓	-
P132NW25-AGR250	Alloy 250 AGR Tower 13.2 m Single Deck AGR 2.5 m	Alloy Tower	0.85	2.5	13.2	387	14.2	12.2	✓	✓	✓	-	✓	✓	✓	-
P32SW18-AGR250	Alloy 250 AGR Tower 3.2 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	3.2	96	4.2	2.2	✓	✓	✓	-	✓	✓	✓	-
P32SW25-AGR250	Alloy 250 AGR Tower 3.2 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	3.2	124	4.2	2.2	✓	✓	✓	-	✓	✓	✓	-
P37SW18-AGR250	Alloy 250 AGR Tower 3.7 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	3.7	127	4.7	2.7	✓	✓	✓	-	✓	✓	✓	-
P37SW25-AGR250	Alloy 250 AGR Tower 3.7 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	3.7	147	4.7	2.7	✓	✓	✓	-	✓	✓	✓	-
P47SW18-AGR250	Alloy 250 AGR Tower 4.7 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	4.7	168	5.7	3.7	✓	✓	✓	-	✓	✓	✓	-
P47SW25-AGR250	Alloy 250 AGR Tower 4.7 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	4.7	175	5.7	3.7	✓	✓	✓	-	✓	✓	✓	-
P52SW18-AGR250	Alloy 250 AGR Tower 5.2 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	5.2	185	6.2	4.2	✓	✓	✓	-	✓	✓	✓	-
P52SW25-AGR250	Alloy 250 AGR Tower 5.2 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	5.2	180	6.2	4.2	✓	✓	✓	-	✓	✓	✓	-
P57SW18-AGR250	Alloy 250 AGR Tower 5.7 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	5.7	216	6.7	4.7	✓	✓	✓	-	✓	✓	✓	-
P57SW25-AGR250	Alloy 250 AGR Tower 5.7 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	5.7	203	6.7	4.7	✓	✓	✓	-	✓	✓	✓	-
P67SW18-AGR250	Alloy 250 AGR Tower 6.7 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	6.7	257	7.7	5.7	✓	✓	✓	-	✓	✓	✓	-
P67SW25-AGR250	Alloy 250 AGR Tower 6.7 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	6.7	231	7.7	5.7	✓	✓	✓	-	✓	✓	✓	-

KEY  Ideal for Quiet Spaces  Cordless  Innovative Solution  Health & Safety Approved  Zero Emissions  Eco-friendly Product  Ideal for Compact Spaces

Access Product Information

Hire Code	Description	Product Range	Width (m)	Length (m)	Height (m)	Weight (kg)	Working Height (m)	Platform Height (m)	IPAF Approved							
P72SW18-AGR250	Alloy 250 AGR Tower 7.2 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	7.2	274	8.2	6.2	✓	✓	✓	-	✓	✓	✓	-
P72SW25-AGR250	Alloy 250 AGR Tower 7.2 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	7.2	236	8.2	6.2	✓	✓	✓	-	✓	✓	✓	-
P77SW18-AGR250	Alloy 250 AGR Tower 7.7 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	7.7	324	8.7	6.7	✓	✓	✓	-	✓	✓	✓	-
P77SW25-AGR250	Alloy 250 AGR Tower 7.7 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	7.7	265	8.7	6.7	✓	✓	✓	-	✓	✓	✓	-
P87SW18-AGR250	Alloy 250 AGR Tower 8.7 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	8.7	365	9.7	7.7	✓	✓	✓	-	✓	✓	✓	-
P87SW25-AGR250	Alloy 250 AGR Tower 8.7 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	8.7	293	9.7	7.7	✓	✓	✓	-	✓	✓	✓	-
P92SW18-AGR250	Alloy 250 AGR Tower 9.2 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	9.2	383	10.2	8.2	✓	✓	✓	-	✓	✓	✓	-
P92SW25-AGR250	Alloy 250 AGR Tower 9.2 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	9.2	298	10.2	8.2	✓	✓	✓	-	✓	✓	✓	-
P97SW18-AGR250	Alloy 250 AGR Tower 9.7 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	9.7	394	10.7	8.7	✓	✓	✓	-	✓	✓	✓	-
P97SW25-AGR250	Alloy 250 AGR Tower 9.7 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	9.7	315	10.7	8.7	✓	✓	✓	-	✓	✓	✓	-
P107SW18-AGR250	Alloy 250 AGR Tower 10.7 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	10.7	435	11.7	9.7	✓	✓	✓	-	✓	✓	✓	-
P107SW25-AGR250	Alloy 250 AGR Tower 10.7 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	10.7	343	11.7	9.7	✓	✓	✓	-	✓	✓	✓	-
P112SW18-AGR250	Alloy 250 AGR Tower 11.2 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	11.2	452	12.2	10.2	✓	✓	✓	-	✓	✓	✓	-
P112SW25-AGR250	Alloy 250 AGR Tower 11.2 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	11.2	348	12.2	10.2	✓	✓	✓	-	✓	✓	✓	-
P117SW18-AGR250	Alloy 250 AGR Tower 11.7 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	11.7	502	12.7	10.7	✓	✓	✓	-	✓	✓	✓	-
P117SW25-AGR250	Alloy 250 AGR Tower 11.7 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	11.7	377	12.7	10.7	✓	✓	✓	-	✓	✓	✓	-
P127SW18-AGR250	Alloy 250 AGR Tower 12.7 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	12.7	543	13.7	11.7	✓	✓	✓	-	✓	✓	✓	-
P127SW25-AGR250	Alloy 250 AGR Tower 12.7 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	12.7	405	13.7	11.7	✓	✓	✓	-	✓	✓	✓	-
P132SW18-AGR250	Alloy 250 AGR Tower 13.2 m Double Deck AGR 1.8 m	Alloy Tower	1.45	1.8	13.2	561	14.2	12.2	✓	✓	✓	-	✓	✓	✓	-
P132SW25-AGR250	Alloy 250 AGR Tower 13.2 m Double Deck AGR 2.5 m	Alloy Tower	1.45	2.5	13.2	410	14.2	12.2	✓	✓	✓	-	✓	✓	✓	-
BBA2025	Platform Bridge Beam Assembly 2 m	Alloy Tower	2.1	2	-	80	-	-	-	✓	✓	-	✓	✓	✓	-
BBA2525	Platform Bridge Beam Assembly 2.5 m	Alloy Tower	2.1	2.5	-	100	-	-	-	✓	✓	-	✓	✓	✓	-
BBA2530	Platform Bridge Beam Assembly 3 m	Alloy Tower	2.1	3	-	120	-	-	-	✓	✓	-	✓	✓	✓	-

KEY  Ideal for Quiet Spaces  Cordless  Innovative Solution  Health & Safety Approved  Zero Emissions  Eco-friendly Product  Ideal for Compact Spaces



Mi Tower (pages 30–31)



Alloy Tower (pages 32–39)



020056 Pop Up Pro IQ7 Active Platform Lift (pages 30–31)



020039 BOSS PA Platform Scissor Lift (pages 30–31)



Extra Wide Platform Range (pages 30–31)



Podium Step Platform (pages 30–31)

Press-fit

As one of the leading suppliers of press-fitting tools, **MEP Hire** offer a full and extensive range for all major system manufacturers. Our fleet incorporates the latest in Bluetooth technology, allowing download of installation information for your records.

Suitable For...



Fire
Protection



Heating, Ventilation
& Refrigeration
(HVAC)



Mechanical
& Plumbing



Utilities &
Fabricators

Press-Fit Product Information



255050 Pressmax Collar 2XL 88 mm (pages 42-43)



255245 Viega Megapress XL Booster Set (pages 44-45)



255330 Smartpress Jaw (pages 44-45)



255017 Mini Press Tool (pages 42-43)



255200 Battery Press Tool ACO403 (pages 46-47)



255235 Viega Pressgun 6 (pages 44-45)

Press-Fit Product Information

Hire Code	Description	Press Brand	Press System	Vibration (m/s²)	Noise (dB)	Piston Force (kN)	Weight (kg)							
255019	Geberit Mini Press Tool ACO103 Warranty	Geberit	Mapress & Mepla up to 35 mm	< 2.5	75	19	9.5	✓	✓	-	✓	✓	✓	✓
255610	Mapress Warranty Mini Jaw Set 15 – 35 mm (1)	Geberit	Mapress	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255540	Mepla Jaw Set 16 – 32 mm (1)	Geberit	Mepla	-	-	-	11.62	✓	✓	-	✓	✓	✓	✓
255012	Geberit Press Tool ACO203 – Warranty (2)	Geberit	Mapress up to 54 mm & Mepla up to 75 mm	< 2.5	78	32	12	✓	✓	-	✓	✓	✓	-
255615	Mapress Warranty Jaw Set 15 – 35 mm (2)	Geberit	Mapress	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255033	Mapress Warranty Collar Set 42 & 54 mm (2)	Geberit	Mapress	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255530	Mepla Press Jaw Set 16 – 32 mm (2)	Geberit	Mepla	-	-	-	5.87	✓	✓	-	✓	✓	✓	✓
255075	Mepla Large Collar Set 75 mm (2)	Geberit	Mepla	-	-	-	7.8	✓	✓	-	✓	✓	✓	✓
255070	Mepla Large Collar Set 63 mm (2)	Geberit	Mepla	-	-	-	8.3	✓	✓	-	✓	✓	✓	✓
255069	Mepla Large Jaw Set 40 & 50 mm (2)	Geberit	Mepla	-	-	-	8.5	✓	✓	-	✓	✓	✓	✓
255221	Geberit Press Tool ACO203XL – Warranty	Geberit	Mapress 67–108 mm	< 2.5	78	32	14	✓	✓	-	✓	✓	✓	-
255042	Mapress Warranty Collar 67 mm (2)	Geberit	Mapress	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255046	Mapress Warranty Collar XL 76 mm (2)	Geberit	Mapress	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255051	Mapress Warranty Collar XL 88.9 mm (2)	Geberit	Mapress	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255056	Mapress Warranty Collar XL 108 mm (2)	Geberit	Mapress	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255252	ZB222 XL Adaptor XL (2)	Geberit	Mapress	-	-	-	5.04	✓	✓	-	✓	✓	✓	✓
255251	ZB221 XL Adaptor XL (2)	Geberit	Mapress	-	-	-	4.76	✓	✓	-	✓	✓	✓	✓
PRESSDEBUR	Press Tube DeBurrer	Geberit	Mapress Accessories	-	-	-	-	✓	✓	-	✓	✓	✓	✓
PRESSCUT	Press Tube Cutter 15 – 54 mm	Geberit	Mapress Accessories	-	-	-	-	✓	✓	-	✓	✓	✓	✓
PRESSMARK	Geberit Press Depth Gauge	Geberit	Mapress Accessories	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255017	Mini Battery Press Tool (1) with 15–35 mm Jaws	Pegler Yorkshire	Xpress Copper, Carbon & Inox up to 35 mm	< 2.5	75	19	9.58	✓	✓	✓	✓	✓	✓	✓
255015	Press Tool Battery ACO202/203 (2)	Pegler Yorkshire	Xpress Copper, Carbon & Inox	< 2.5	78	32	16.4	✓	✓	✓	✓	✓	✓	✓
255030	Collar Set ZB201 M Profile 42 and 54 mm (2)	Pegler Yorkshire	Xpress Copper, Carbon & Inox	-	-	-	7.89	✓	✓	-	✓	✓	✓	✓
255220	Press Tool Battery ACO202/203 XL (2) with 15–35 mm Jaws	Pegler Yorkshire	Xpress Copper, Carbon & Inox	< 2.5	78	32	17.18	✓	✓	✓	✓	✓	✓	✓
255040	Xpress Collar 67 mm (2)	Pegler Yorkshire	Xpress Copper, Carbon & Inox	-	-	-	4	✓	✓	-	✓	✓	✓	✓
255045	Pressmax Collar XL 76 mm (2)	Pegler Yorkshire	Xpress Copper, Carbon & Inox	-	-	-	4.5	✓	✓	-	✓	✓	✓	✓
255050	Pressmax Collar XL 88 mm (2)	Pegler Yorkshire	Xpress Copper, Carbon & Inox	-	-	-	4.79	✓	✓	-	✓	✓	✓	✓
255055	Pressmax Collar XL 108 mm (2)	Pegler Yorkshire	Xpress Carbon & Inox	-	-	-	10.81	✓	✓	-	✓	✓	✓	✓
255057	Xpress Copper Collar XL 108 mm (2)	Pegler Yorkshire	Xpress Copper	-	-	-	5.56	✓	✓	-	✓	✓	✓	✓
255252	ZB222 XL Adaptor XL (2)	Pegler Yorkshire	Xpress Copper Carbon & Inox	-	-	-	5.04	✓	✓	-	✓	✓	✓	✓
255251	ZB221 XL Adaptor XL (2)	Pegler Yorkshire	Xpress Copper Carbon & Inox	-	-	-	4.76	✓	✓	-	✓	✓	✓	✓
255295	PowerPress 1/2 – 2 inch Set (2)	Pegler Yorkshire	PowerPress	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255222	Mini Battery Press Tool (1) Specials	Conex Bänninger	ALL Conex systems up to 35 mm	< 2.5	75	19	9.5	✓	✓	-	✓	✓	✓	✓
255505	Conex >B< Press Mini Jaw Set 15 – 35 mm (1)	Conex Bänninger	>B< Press: Copper, Carbon & Inox	-	-	-	8.1	✓	✓	-	✓	✓	✓	✓
255580	MaxiPro Jaw Set 1/4, 3/8, 1/2, 5/8 inch (1)	Conex Bänninger	MaxiPro	-	-	-	8	✓	✓	-	✓	✓	✓	✓
255585	MaxiPro Jaw Set 3/4, 7/8 and 1 1/8 inch (1)	Conex Bänninger	MaxiPro	-	-	-	8.5	✓	✓	-	✓	✓	✓	✓
255223	Press Tool Battery (2) Specials	Conex Bänninger	Conex Copper system up to 108 mm	-	-	-	12	✓	✓	-	✓	✓	✓	-
255565	>B<Press Jaw Set 15 – 35 mm (2)	Conex Bänninger	>B< Press: Copper, Carbon & Inox	-	-	-	12.53	✓	✓	-	✓	✓	✓	✓
255031	>B<Press Jaw Set 42 & 54 mm (2)	Conex Bänninger	>B< Press: Copper, Carbon & Inox	-	-	-	7.89	✓	✓	-	✓	✓	✓	✓
255370	>B<Press XL Copper Collar 67 mm (2)	Conex Bänninger	>B< Press XL – Copper	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255375	>B<Press XL Copper Collar 76.1 mm (2)	Conex Bänninger	>B< Press XL – Copper	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255385	>B<Press XL Copper Collar 108 mm (2)	Conex Bänninger	>B< Press XL – Copper	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255254 □□□□□□□□ (for use with Conex Copper XL 67–108 mm)	>B< Press XL Copper Adaptor ZB202 (2)	Conex Bänninger	>B< Press XL – Copper	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255224	Press Tool Battery XL (2) Specials	Conex Bänninger	>B< Press XL – Carbon & Inox 67–108 mm	-	-	-	14	✓	✓	-	✓	✓	✓	-
255042	>B< Press 67 mm Collar Inox & Carbon Steel (2)	Conex Bänninger	>B< Press XL – Carbon & Inox	-	-	-	5	✓	✓	-	✓	✓	✓	✓
255045	>B< Press 76.1 mm Collar Inox & Carbon Steel (2)	Conex Bänninger	>B< Press XL – Carbon & Inox	-	-	-	4.5	✓	✓	-	✓	✓	✓	✓
255050	>B< Press 88 mm Collar Inox & Carbon Steel (2)	Conex Bänninger	>B< Press XL – Carbon & Inox	-	-	-	4.79	✓	✓	-	✓	✓	✓	✓

KEY  Ideal for Quiet Spaces  Cordless  Innovative Solution  Health & Safety Approved  Zero Emissions  Eco-friendly Product  Ideal for Compact Spaces

Press-Fit Product Information

Hire Code	Description	Press Brand	Press System	Vibration (m/s²)	Noise (dB)	Piston Force (kN)	Weight (kg)							
255055	>B< Press 108 mm Collar Inox & Carbon Steel (2)	Conex Bänninger	>B< Press XL – Carbon & Inox	-	-	-	10.81	✓	✓	-	✓	✓	✓	✓
255251	>B< Press ZB221 Adaptor 67–108 mm (2) □□□□□□□□ (for use 67–108 mm collars)	Conex Bänninger	>B< Press XL – Carbon & Inox	-	-	-	4.76	✓	✓	-	✓	✓	✓	✓
255252	>B< Press ZB222 Adaptor 67–108 mm (2) □□□□□□□□ (for use 2nd crimp 108 mm collars)	Conex Bänninger	>B< Press XL – Carbon & Inox	-	-	-	5.04	✓	✓	-	✓	✓	✓	✓
255230	Viega Picco Press Tool Only (1)	Viega	ALL Viega systems up to 35 mm	< 2.5	75	-	7.5	✓	✓	✓	✓	✓	✓	✓
255570	Viega Picco Jaw Set 15 – 35 mm (1)	Viega	Profipress	-	-	-	10	✓	✓	-	✓	✓	✓	✓
255285	Viega Picco Ring Set 15 – 35 mm (1)	Viega	Profipress	-	-	-	12.52	✓	✓	-	✓	✓	✓	✓
255235	Viega Pressgun 6 Press Tool Only (2)	Viega	ALL Viega systems up to 108 mm	< 2.5	75	-	7.5	✓	✓	✓	✓	✓	✓	✓
255014	Viega Battery Press Tool Jaw 15 – 35 mm (2)	Viega	Profipress	< 2.5	75	-	19	✓	✓	✓	✓	✓	✓	✓
255037	Viega Collar Set 42 & 54 mm (2)	Viega	Profipress	-	-	-	7.89	✓	✓	-	✓	✓	✓	✓
255287	Viega Standard Ring Set 15 – 35 mm (2)	Viega	Profipress	-	-	-	12.52	✓	✓	-	✓	✓	✓	✓
255250	Viega Collar V Profile 64 mm (2)	Viega	Profipress	-	-	-	5	✓	✓	-	✓	✓	✓	✓
255255	Viega Collar V Profile 67 mm (2)	Viega	Profipress	-	-	-	5	✓	✓	-	✓	✓	✓	✓
255260	Viega Collar V Profile 76 mm (2)	Viega	Profipress	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255265	Viega Collar V Profile 88.9 mm (2)	Viega	Profipress	-	-	-	5.8	✓	✓	-	✓	✓	✓	✓
255270	Viega Collar V Profile 108 mm (2)	Viega	Profipress	-	-	-	6.5	✓	✓	-	✓	✓	✓	✓
255290	Viega Z2 Adaptor (2) (for use 64–108 mm Collars)	Viega	Profipress	-	-	-	3.19	✓	✓	-	✓	✓	✓	✓
255282	Viega Megapress Set 1 1/4 – 2 inch (2)	Viega	Megapress	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255281	Viega Megapress Set 1/2 – 1 inch (2)	Viega	Megapress	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255315	Viega Press Set (2)	Viega	Megapress	-	-	-	9	✓	✓	-	✓	✓	✓	✓
255245	Viega Megapress XL Booster Set (2)	Viega	Megapress	-	-	-	14.3	✓	✓	-	✓	✓	✓	✓
255300	Viega Megapress XL Press Ring 2 1/2 inch	Viega	Megapress	-	-	-	2.63	✓	✓	-	✓	✓	✓	✓
255305	Viega Megapress XL Press Ring 3 inch	Viega	Megapress	-	-	-	3.25	✓	✓	-	✓	✓	✓	✓
255310	Viega Megapress XL Press Ring 4 inch	Viega	Megapress	-	-	-	4.29	✓	✓	-	✓	✓	✓	✓
255320	Smartpress Jaw Set 16 – 32 mm (2)	Viega	Smartpress	-	-	-	8.2	✓	✓	-	✓	✓	✓	✓
255325	Smartpress Jaw Set 40 & 50 mm (2)	Viega	Smartpress	-	-	-	5.7	✓	✓	-	✓	✓	✓	✓
255330	Smartpress Jaw Set 63 mm (2)	Viega	Smartpress	-	-	-	4.9	✓	✓	-	✓	✓	✓	✓
255222	Mini Battery Press Tool (1) No Jaws	Henco	Henco Press up to 32 mm	< 2.5	75	19	9.5	✓	✓	-	✓	✓	✓	✓
255510	Henco Mini Jaw Set 16 – 32 mm (1)	Henco	Henco Press	-	-	-	7.5	✓	✓	-	✓	✓	✓	✓
255223	Press Tool Battery ACO202/203 (2) No Jaws	Henco	Henco Press	-	-	-	12	✓	✓	-	✓	✓	✓	-
255515	Henco Jaw Set 16 – 32 mm (2)	Henco	Henco Press	-	-	-	10.7	✓	✓	-	✓	✓	✓	✓
255198	Henco BE Profile Jaw Set 40 & 50 mm (2)	Henco	Henco Press	-	-	-	9.6	✓	✓	-	✓	✓	✓	✓
255199	Henco BE Profile Collar Set 63 mm (2)	Henco	Henco Press	-	-	-	7.2	✓	✓	-	✓	✓	✓	✓
HENCUT1	Henco Guillotine Cutter 14 – 20 mm	Henco	Henco Press Accessories	-	-	-	-	✓	✓	-	✓	✓	✓	✓
HENCUT2	Henco Guillotine Cutter 26 – 40 mm	Henco	Henco Press Accessories	-	-	-	1	✓	✓	-	✓	✓	✓	✓
255156	Henco Multilayer Bevel Kit 16 – 32 mm	Henco	Henco Press Accessories	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255157	Henco Multilayer Bevel Kit 40 – 63 mm	Henco	Henco Press Accessories	-	-	-	-	✓	✓	-	✓	✓	✓	✓
255017	Mini Battery Press Tool (1) with 15–35 mm Jaws	M Press	M Press, all metal systems up to 35 mm	< 2.5	75	19	9.58	✓	✓	✓	✓	✓	✓	✓
255015	Press Tool Battery ACO202/203 (2) with 15–35 mm Jaws	M Press	M Press, all metal systems up to 54 mm	< 2.5	78	32	16.4	✓	✓	✓	✓	✓	✓	✓
255030	Collar Set ZB201 M Profile 42 and 54 mm (2)	M Press	M Press	-	-	-	7.89	✓	✓	-	✓	✓	✓	✓
255220	Press Tool Battery ACO202/203 XL (2) with 15–35 mm Jaws	M Press	M Press, all metal systems up to 67–108 mm	< 2.5	78	32	17.18	✓	✓	✓	✓	✓	✓	✓
255040	Xpress Collar 67 mm (2)	M Press	M Press	-	-	-	4	✓	✓	-	✓	✓	✓	✓
255045	Pressmax Collar XL 76 mm (2)	M Press	M Press	-	-	-	4.5	✓	✓	-	✓	✓	✓	✓
255050	Pressmax Collar XL 88 mm (2)	M Press	M Press	-	-	-	4.79	✓	✓	-	✓	✓	✓	✓
255055	Pressmax Collar XL 108 mm (2)	M Press	M Press	-	-	-	10.81	✓	✓	-	✓	✓	✓	✓
255251	ZB221 XL Adaptor XL (2)	M Press	M Press	-	-	-	4.76	✓	✓	-	✓	✓	✓	✓
255252	ZB222 XL Adaptor XL (2)	M Press	M Press	-	-	-	5.04	✓	✓	-	✓	✓	✓	✓

KEY  Ideal for Quiet Spaces  Cordless  Innovative Solution  Health & Safety Approved  Zero Emissions  Eco-friendly Product  Ideal for Compact Spaces

Press-Fit Product Information

Hire Code	Description	Press Brand	Press System	Vibration (m/s²)	Noise (dB)	Piston Force (kN)	Weight (kg)							
255017	Mini Battery Press Tool (1) with 15–35 mm Jaws	SANHA	Sanha-Press	< 2.5	75	19	9.58	✓	✓	✓	✓	✓	✓	✓
255015	Press Tool Battery ACO202/203 (2) with 15–35 mm Jaws	SANHA	Sanha-Press up to 35 mm	< 2.5	78	32	16.4	✓	✓	✓	✓	✓	✓	✓
255030	Collar Set ZB201 M Profile 42 & 54 mm (2)	SANHA	Sanha-Press	-	-	-	7.89	✓	✓	-	✓	✓	✓	✓
255220	Press Tool Battery ACO202/203 XL (2) with 15–35 mm Jaws	SANHA	Sanha-Press 67–108 mm	< 2.5	78	32	17.18	✓	✓	✓	✓	✓	✓	✓
255040	SANHA Collar 67 mm (2)	SANHA	Sanha-Press	-	-	-	4	✓	✓	-	✓	✓	✓	✓
255045	Pressmax Collar XL 76 mm (2)	SANHA	Sanha-Press	-	-	-	4.5	✓	✓	-	✓	✓	✓	✓
255050	Pressmax Collar XL 88 mm (2)	SANHA	Sanha-Press	-	-	-	4.79	✓	✓	-	✓	✓	✓	✓
255055	Pressmax Collar XL 108 mm (2)	SANHA	Sanha-Press	-	-	-	10.81	✓	✓	-	✓	✓	✓	✓
255057	Xpress Copper Collar XL 108 mm (2)	SANHA	Sanha-Press	-	-	-	5.56	✓	✓	-	✓	✓	✓	✓
255251	ZB221 XL Adaptor XL (2)	SANHA	Sanha-Press	-	-	-	4.76	✓	✓	-	✓	✓	✓	✓
255252	ZB222 XL Adaptor XL (2)	SANHA	Sanha-Press	-	-	-	5.04	✓	✓	-	✓	✓	✓	✓
255222	Mini Battery Press Tool (1) No Jaws	SANHA	3Fit-Press	< 2.5	75	19	9.5	✓	✓	-	✓	✓	✓	✓
255545	TH Profile Mini Press Jaw Set (1)	SANHA	3Fit-Press	-	-	-	6.5	✓	✓	-	✓	✓	✓	✓
255223	Press Tool Battery ACO202/203 (2) No Jaws	SANHA	3Fit-Press	-	-	-	12	✓	✓	-	✓	✓	✓	-
255525	TH Profile Press Jaw Set (2) 16–32 mm	SANHA	3Fit-Press	-	-	-	10.69	✓	✓	-	✓	✓	✓	✓
255200	Battery Press Tool ACO403 76 – 168 mm (4) Tool Only	Isotubi	Isotubi Stainless Steel	< 2.5	75	120	20.43	✓	✓	✓	✓	✓	✓	✓
255216	Press Tool Collar ACO403 139.7 mm (4)	Isotubi	Isotubi Stainless Steel	-	-	-	14.4	✓	✓	-	✓	✓	✓	✓
255217	Press Tool Collar ACO403 168.3 mm (4)	Isotubi	Isotubi Stainless Steel	-	-	-	19.7	✓	✓	-	✓	✓	✓	✓
255018	Uponor Mini Battery Press Tool (1) 16–32 mm Jaws	Uponor	MLC / RMT	< 2.5	75	18	9.5	✓	✓	-	✓	✓	✓	✓
255016	Uponor UP75 Battery Press Tool (2) 16–32 mm Jaws	Uponor	MLC	< 2.5	78	22	9.5	✓	✓	-	✓	✓	✓	-
255059	U Profile Jaw Set 40 & 50 mm (2)	Uponor	MLC	-	-	-	8.5	✓	✓	-	✓	✓	✓	✓
255060	Press Collar U Profile 63 mm (2)	Uponor	MLC	-	-	-	4.5	✓	✓	-	✓	✓	✓	✓
255065	Press Collar U Profile 75 mm (2)	Uponor	MLC	-	-	-	5	✓	✓	-	✓	✓	✓	✓
255066	Press Collar U Profile 90 mm (2)	Uponor	MLC	-	-	-	5.7	✓	✓	-	✓	✓	✓	✓
255067	Press Collar U Profile 110 mm (2)	Uponor	MLC	-	-	-	6.2	✓	✓	-	✓	✓	✓	✓
255186	Z1 Uponor 63–110 mm Adaptor [2] (for use 63–110 mm collars)	Uponor	MLC	-	-	-	3.2	✓	✓	-	✓	✓	✓	✓
255126	Aquatechnik BST32 Expander 16 – 32 mm	Aquatechnik	Safety System	< 2.5	75	-	18	✓	✓	✓	✓	✓	✓	✓
255129	Aquatechnik BCB110 Expander 40 – 90 mm	Aquatechnik	Safety System	< 2.5	75	-	19	✓	✓	✓	✓	✓	✓	✓
255222	Mini Battery Press Tool (1) No Jaws	Buteline	Buteline	< 2.5	75	19	9.5	✓	✓	-	✓	✓	✓	✓
255590	Buteline Jaw Set 16, 22, 28 mm (1)	Buteline	Buteline	-	-	-	7	✓	✓	-	✓	✓	✓	✓
255222	Mini Battery Press Tool (1) No Jaws	RLS	RLS	< 2.5	75	19	9.5	✓	✓	-	✓	✓	✓	✓
255600	RLS Klauke Jaw [1] Set 1/4–3/4 inch	RLS	RLS	-	-	-	-	-	-	-	-	-	-	-
255605	RLS Klauke Jaw [1] Set 7/8–1 3/8 inch	RLS	RLS	-	-	-	-	-	-	-	-	-	-	-
255222	Mini Battery Press Tool (1) No Jaws	Zoomlock	Zoomlock	< 2.5	75	19	9.5	✓	✓	-	✓	✓	✓	✓
255580	MaxiPro Jaw Set 1/4, 3/8, 1/2, 5/8 inch (1)	Zoomlock	Zoomlock	-	-	-	8	✓	✓	-	✓	✓	✓	✓
255585	MaxiPro Jaw Set 3/4, 7/8 and 1 1/8 inch (1)	Zoomlock	Zoomlock	-	-	-	8.5	✓	✓	-	✓	✓	✓	✓
255222	Mini Battery Press Tool (1) No Jaws	Misc	For systems below up to 32 mm	< 2.5	75	19	9.5	✓	✓	-	✓	✓	✓	✓
255550	Mini U Profile Jaw Set 16 – 32 mm (1)	Misc	Wavin Tigris, Giacomini, SANHA 3Fit-Press, VSH MultiPress	-	-	-	6.5	✓	✓	-	✓	✓	✓	✓
255545	TH Profile Mini Press Jaw Set (1)	Misc	Valsir Pexal, Comap SkinPress, Conel Connect Multi, Emmeti, Pipelife RadoPress, IVAR Multi Press MP	-	-	-	10.6	✓	✓	-	✓	✓	✓	✓
255223	Press Tool Battery ACO202/203 (2) No Jaws	Misc	For systems detailed below up to 50 mm	-	-	-	-	-	-	-	-	-	-	-
255525	TH Profile Press Jaw Set (2)	Misc	Valsir Pexal, Comap SkinPress, Conel Connect Multi, Emmeti, Pipelife RadoPress, IVAR Multi Press MP	-	-	-	10.6	✓	✓	-	✓	✓	✓	✓
255555	U Profile Press Jaws Set 16 – 32 mm (2)	Misc	Wavin Tigris, Giacomini, SANHA 3Fit-Press, VSH MultiPress	-	-	-	10.69	✓	✓	-	✓	✓	✓	✓
255036	ZB203 Collar Set TH Profile 40 & 50 mm (2)	Misc	Valsir Pexal, Comap SkinPress, Conel Connect Multi, Emmeti, Pipelife RadoPress, IVAR Multi Press MP	-	-	-	-	✓	✓	-	✓	✓	✓	✓

KEY

 Ideal for Quiet Spaces

 Cordless

 Innovative Solution

 Health & Safety Approved

 Zero Emissions

 Eco-friendly Product

 Ideal for Compact Spaces

Brugg

As the number of district heating systems increases throughout the UK, **MEP Hire** has invested in pressing tools, decoiler's and straightening tools for pre-insulated PEX pipe systems.

Suitable For...



Mechanical
& Plumbing



Utilities &
Fabricators

Brugg Product Information


Hire Code	Description	Noise Level	Vibration (dB)	Weight (kg)				
255342	Brugg Battery Press Tool 20–40 mm *Brugg, Rehau, Jentro #Brugg Calpex, Rehau Everloc TM, Jentro PEX	-	-	9.9	✓	✓	✓	✓
255350	Brugg G1 Hydraulic Press 50–110 mm *Brugg, Rehau, Jentro #Brugg Calpex, Rehau Everloc TM, Jentro PEX	-	-	72.4	✓	✓	-	-
255355	Brugg G1 Tool 110 V 125 mm and 160 mm *Brugg, Rehau, Jentro #Brugg Calpex, Rehau Everloc TM, Jentro PEX	< 2.5 m/s ²	75	93	✓	✓	-	-
255360	Brugg 140 mm Kit For Use With 255355 *Brugg, Rehau, Jentro #Brugg Calpex, Rehau Everloc TM, Jentro PEX	-	-	42	✓	✓	✓	✓
255365	Brugg Manual Decoiler 1000 kg *Brugg, Rehau, Jentro #Brugg Calpex, Rehau Everloc TM, Jentro PEX	-	-	235	✓	✓	✓	✓
255345	Brugg Pipe Straightener *Brugg, Rehau, Jentro #Brugg Calpex, Rehau Everloc TM, Jentro PEX	-	-	35	✓	✓	✓	✓

*Press Brand
#Press System Names

KEY  Ideal for Quiet Spaces  Health & Safety Approved  Zero Emissions  Eco-friendly Product



Brugg Pipework



255355 Brugg G1 Tool



255340 Brugg M1 Manual Press Tool




255350 Brugg G1 Hydraulic Press



255345 Brugg Pipe Straightener



Brugg Pipework



Cable Tools

Our range of cutters and cable crimpers are best in class; both technically advanced and ergonomically designed, we offer one of the lightest and largest ranges available in the UK.

Suitable For...



Electrical
Contractors



Heating, Ventilation
& Refrigeration
(HVAC)



Utilities &
Fabricators

Cable Tools Product Information

Hire Code	Description	Product Range	HAV	Weight (kg)							
220130	Battery Cable Crimper 6 – 150 mm	Cable Crimpers	-	6.9	-	✓	-	✓	✓	✓	✓
220100	Hydraulic Cable Crimper 16 – 300 mm	Cable Crimpers	< 2.5 m/s	8.38	-	✓	-	✓	✓	✓	✓
220135	Hex Battery Cable Crimper 16 – 400 mm	Cable Crimpers	-	14.4	-	✓	-	✓	✓	✓	✓
220250	Hex Battery Cable Crimper 400 – 630 mm	Cable Crimpers	-	14.24	-	✓	-	✓	✓	✓	✓
220225	Rigid RE60 Cable Crimp & Cutter	Cable Crimpers	< 2.5 m/s	14.2	✓	✓	✓	✓	✓	✓	✓
220230	RE60 Sheet Punch Head Only 16 – 63 mm	Cable Crimpers	< 2.5 m/s	9.5	✓	✓	✓	✓	✓	✓	✓
220155	Battery SWA Cable Cutter 85 mm	Cable Cutters	-	7.5	-	✓	-	✓	✓	✓	✓
220165	Battery SWA Cable Cutter 105 mm	Cable Cutters	< 2.5 m/s	10.7	✓	✓	-	✓	✓	✓	✓
220150	Battery SWA Cable Cutter 50 mm	Cable Cutters	-	5.3	-	✓	-	✓	✓	✓	✓
375600	Cable Drum Jacks 6 Tonne (Pair)	Cable Lifting	-	45	✓	-	-	✓	✓	✓	-
375620	Load Bar 6 Tonne	Cable Lifting	-	18	✓	-	-	✓	✓	✓	-
375625	Cable Drum Roller 2 Tonne	Cable Lifting	-	16	✓	-	-	✓	✓	✓	-
375630	Powered Cable Puller	Cable Pulling	-	-	✓	-	-	✓	✓	✓	✓
375633	Cable Pull Grip Sizes 19 – 38 mm	Cable Pulling	-	-	✓	-	-	✓	✓	✓	✓
375634	Cable Pull Grip Sizes 39 – 50 mm	Cable Pulling	-	-	✓	-	-	✓	✓	✓	✓
375628	Cable Pull Grip Sizes 51 – 63 mm	Cable Pulling	-	2	✓	-	-	✓	✓	✓	✓
375632	Cable Pull Grip Sizes 90 – 115 mm	Cable Pulling	-	-	✓	-	-	✓	✓	✓	✓
375650	Cable Entry V Roller	Cable Pulling	-	-	✓	-	-	✓	✓	✓	✓
375655	Corner Roller	Cable Pulling	-	-	✓	-	-	✓	✓	✓	✓
250180	Conduit Pipe Threader 110 V 32 mm	Threading	< 2.5 m/s	4.4	✓	-	-	✓	-	-	✓
250181	Conduit Pipe Threader Cordless	Threading	< 2.5 m/s	18	-	✓	✓	✓	✓	✓	-
360199	Armorgard Spoolkart	Storage	-	51	-	-	✓	✓	✓	✓	-

KEY Ideal for Quiet Spaces Cordless Innovative Solution Health & Safety Approved Zero Emissions Eco-friendly Product Ideal for Compact Spaces



220230 RE60 Sheet Punch Head 16 – 63 mm



360199 Armorgard Spoolkart



220100 Hydraulic Cable Crimper 16 – 300 mm



220250 Hex Battery Cable Crimper 400 – 630 mm



220225 Rigid RE60 Cable Crimper & Cutter

Ductwork

No matter what kind of system you're working on, **MEP Hire** have the right solutions to meet your needs. We also offer a range of innovative ductwork storage, designed to help you to move materials around site safely and easily.

Suitable For...



Heating, Ventilation
& Refrigeration
(HVAC)



Mechanical
& Plumbing

Ductwork Product Information

Hire Code	Description	Product Range	Weight (kg)				
250168	ALF150 Duct Leakage Tester 110 V	Testing	37.2	✓	-	✓	✓
250169	ALF225 PDI Duct Leakage Tester	Testing	42.5	✓	-	✓	✓
250042	Spiral Duct Cutter With Nibbler 110 V	Duct Cutter	23	-	-	✓	✓

KEY  Ideal for Quiet Spaces  Innovative Solution  Health & Safety Approved  Ideal for Compact Spaces



250168 ALF150 Duct Leakage Tester 110 V



For our **Auto Braked Ductwork Rack**, please see page 69.

Dust

MEP Hire offer a wide range of innovative ways to reduce the risk of dust and protect operators whilst cutting and sanding etc.

Suitable For...



Commercial
Fit-out



Electrical
Contractors



Fire
Protection



Heating, Ventilation
& Refrigeration
(HVAC)



Mechanical
& Plumbing



Utilities &
Fabricators

Dust Product Information

Hire Code	Description	Product Type	Weight (kg)						
340200	Welding Fume Eliminator 110 V	Welding	20	✓	-	✓	✓	✓	-
340205	Welding Fume Filter Cart 110 V	Welding	85	✓	✓	✓	✓	✓	-
040011	Dust Extraction Unit M Class	Power Tools	16	✓	-	✓	✓	✓	✓
090030	Dust Extraction Unit for BHR242	Power Tools	1	-	✓	✓	✓	✓	✓
090054	Dust Extraction Unit for DHR280ZJ	Power Tools	1	-	✓	✓	✓	✓	✓
040030	Vacuum Cleaner 1 Motor	Power Tools	7.5	✓	-	✓	✓	✓	-
040050	Vacuum Cleaner 2 Motor	Power Tools	20.2	✓	-	✓	✓	✓	-

KEY  Ideal for Quiet Spaces
  Innovative Solution
  Health & Safety Approved
  Zero Emissions
  Eco-friendly Product
  Ideal for Compact Spaces



040011 Dust Extraction Unit M Class



090030 Dust Extraction Unit for BHR242



090054 Dust Extraction Unit for DHR280ZJ



340205 Welding Fume Filter Cart 110 V



340200 Welding Fume Eliminator 110 V

Fusion

MEP Hire stock a wide range of electro and butt fusion tools that join HPPE (MDPE) for gas and water utility services, as well as HDPE fusion tooling for drainage piping systems.

Suitable For...



Heating, Ventilation
& Refrigeration
(HVAC)



Mechanical
& Plumbing



Utilities &
Fabricators

Fusion Product Information

Hire Code	Description	256056 innovative to add in	Product Range	Weight (kg)						
256062	HPPE Universal Fusion Machine 40 V		HPPE	Up to 28	✓	-	✓	-	-	✓
256064	HPPE Bar Code Reader		HPPE	1	✓	-	✓	✓	✓	✓
256065	HPPE (MDPE) Fusion Machine 40/80 V		HPPE	Up to 28	✓	-	✓	-	-	-
256100	HPPE Pipe Mechanical Scraper 63 – 250 mm		HPPE	7.8	✓	-	✓	✓	✓	✓
340062	Fusion Top Loading Clamp 63 – 180 mm		HPPE	-	✓	-	✓	✓	✓	✓
340064	Fusion Welder Pipe Clamp 63 – 180 mm		HPPE	9.5	✓	-	✓	✓	✓	✓
256066	Fusamatic Leads For HPPE Universal Fusion Machine 40/80 V (256062)		HPPE	1.25	✓	-	✓	✓	✓	✓
290140	Fusion Generator TIN12 5kva Petrol		HPPE	59	-	-	✓	-	-	-
290142	Fusion Generator TIN12 7kva Petrol		HPPE	84	-	-	✓	-	-	-
256115	HPPE/PPr Turbo Scraper 20 – 63 mm		HPPE	10	✓	-	✓	✓	✓	✓
256105	HPPE Squeeze Tool 20 – 63 mm		HPPE	4.2	✓	-	✓	✓	✓	✓
256110	HPPE Squeeze Tool 63 – 125 mm		HPPE	4.6	✓	-	✓	✓	✓	✓
250154	Protectaline Surface Preparation Tool 63 – 110 mm		HPPE	-	✓	-	✓	-	✓	✓
256020	HDPE Fusion Hot Plate 160 mm		HDPE	4	✓	-	✓	-	-	-
256045	HDPE Multiweld EF 32 – 315 mm		HDPE	15	✓	-	✓	-	-	-
256055	HDPE Butt Fusion Welder 160 mm		HDPE	65	✓	-	✓	-	-	-
256056	HDPE Butt Fusion Welder 75 – 250 mm		HDPE	123	✓	-	✓	-	-	-
256057	HDPE Butt Fusion Welder 90 – 315mm		HDPE	209	✓	-	✓	-	-	-
256058	HDPE Manual Rotary Pipe Scraper 63 – 160 mm		HDPE	4.6	✓	-	✓	✓	✓	✓
256090	Vulcathene Fusion Machine		HDPE	15.2	✓	-	✓	-	-	✓
256091	Vulcathene Link Lead Set of 2		HDPE	0.3	✓	-	✓	✓	✓	✓
256092	Vulcathene Clamps Set		HDPE	4.6	✓	-	✓	✓	✓	✓
256080	PPr Electro Fusion Box 110 V		PPr	16.5	✓	-	✓	-	-	✓
256068	PPr Socket Fusion Hot Plate 110 V 800 W 63 mm		PPr	7.9	✓	-	✓	-	-	✓
256070	PPr Socket Fusion Hot Plate 110 V 800 W 75 mm		PPr	10	✓	-	✓	-	-	✓
256072	PPr Socket Fusion Hot Plate 75 – 125 mm		PPr	12.8	✓	-	✓	-	-	✓
256075	PPr Socket Fusion Bench 110 V 1200 W 125 mm		PPr	110	✓	-	✓	-	-	✓
256115	HPPE/PPr Turbo Scraper 20 – 63 mm		PPr	10	✓	-	✓	✓	✓	✓
256030	G.F Instaflex Electrofusion Machine 110 V		PB	20.5	✓	-	✓	-	-	-

KEY  Ideal for Quiet Spaces
  Innovative Solution
  Health & Safety Approved
  Zero Emissions
  Eco-friendly Product
  Ideal for Compact Spaces



256068 PPr Socket Fusion Hot Plate



256057 HDPE Butt Fusion Welder



256056 HDPE Butt Fusion Welder
75 – 250 mm

Materials Handling

With increasing legislation to protect operators from injury and work-related musculoskeletal disorders, **MEP Hire** work closely with manufacturers and designers to offer ergonomically designed solutions that support compliance, whilst increasing productivity.

Suitable For...



Commercial
Fit-out



Electrical
Contractors



Fire
Protection



Heating, Ventilation
& Refrigeration
(HVAC)



Mechanical
& Plumbing



Utilities &
Fabricators

Materials Handling Product Information

Hire Code	Description	Product Range	Weight (kg)							
310130	Auto Braked Ductwork Rack 750 kg	Movement	105	✓	-	✓	✓	-	-	✓
310135	Auto Braked Transfer Trolley 2 Tonne	Movement	140	✓	-	✓	✓	-	-	-
310160	Auto Braked Panel Trolley BS1757:3	Movement	142	✓	-	✓	✓	-	-	-
310165	ABPT Load Safe Carrier (Fits 310160)	Movement	-	✓	-	✓	✓	-	-	✓
360166	Pro 4 Wheel Panel Trolley LA750 750 kg	Movement	70	✓	✓	✓	✓	✓	✓	-
360174	Panel Trolley 4 Wheel 1500 kg	Movement	130	✓	✓	✓	✓	✓	✓	-
360070	Pallet Truck Standard 2.5 Tonne	Movement	63	✓	-	-	✓	-	-	✓
360075	Pallet Truck Standard Forks 540 mm	Movement	63	✓	-	-	✓	-	-	✓
360076	Pallet Truck Standard Braked 540 mm	Movement	-	✓	-	-	✓	-	-	✓
360085	Pallet Truck Long Reach	Movement	70	✓	-	-	✓	-	-	✓
360120	Sack Truck	Movement	9.8	✓	-	-	✓	-	-	✓
360125	Turntable Truck Solid Tyre	Movement	92	✓	-	-	✓	-	-	✓
360130	Turntable Truck Pneumatic Tyre	Movement	92	✓	-	-	✓	-	-	✓
360155	Gas Cylinder Trolley	Movement	10	✓	-	-	✓	-	-	✓
360160	Twin Gas Cylinder Trolley	Movement	12	✓	-	-	✓	-	-	✓
360205	Crate Skate	Movement	5	✓	-	-	✓	-	-	✓
360177	Pipe Bogey	Movement	-	-	-	-	-	-	-	-
360172	Panel Trolley 4 Wheel 750 kg	Movement	41	✓	-	-	✓	-	-	✓
360185	Powered Stair Climber 225 kgs	Movement	27	✓	✓	✓	✓	✓	✓	✓
360005	Genie Material Lift GL8	Lifting	68	✓	-	-	✓	-	-	✓
360010	Genie Material Lift GL12	Lifting	72	✓	-	-	✓	-	-	✓
360020	Genie Superlift SL10	Lifting	118	✓	-	-	✓	-	-	-
360025	Genie Superlift SL15	Lifting	151	✓	-	-	✓	-	-	-
360030	Genie Superlift SL20	Lifting	184	✓	-	-	✓	-	-	-
360035	Genie Superlift SL25	Lifting	204	✓	-	-	✓	-	-	-
360042	Pipe Cradle SLA	Lifting	-	✓	-	-	✓	-	-	-
360043	Boom Attachment SLA	Lifting	18	✓	-	-	✓	-	-	-
360044	Load Platform SLA	Lifting	4.54	✓	-	-	✓	-	-	-
360045	Extension Forks SLA	Lifting	4	✓	-	-	✓	-	-	-
360050	Telescopic Gas Genie Lift 3.8 m	Lifting	34	✓	-	-	✓	-	-	✓
360055	Telescopic Gas Genie Lift 5.6 m	Lifting	37	✓	-	-	✓	-	-	✓
365066	1 Tonne Electrical Chain Hoist 30 m	Lifting	-	✓	-	-	✓	-	-	✓


KEY  Ideal for Quiet Spaces
  Cordless
  Innovative Solution
  Health & Safety Approved
  Zero Emissions
  Eco-friendly Product
  Ideal for Compact Spaces



360125 Turntable Truck Solid Tyre



360075 Pallet Truck Standard Forks 540 mm



360185 Powered Stair Climber 225 kgs



360020 Genie Superlift SL10

Materials Handling Product Information

Hire Code	Description	Product Range	Weight (kg)							
365170	1 Tonne Hoist 3 m	Lifting	11.1	✓	-	-	✓	-	-	✓
365172	1 Tonne Hoist 6 m	Lifting	15.96	✓	-	-	✓	-	-	✓
365174	1 Tonne Hoist 9 m	Lifting	20.82	✓	-	-	✓	-	-	✓
365176	1 Tonne Hoist 12 m	Lifting	25.68	✓	-	-	✓	-	-	✓
365182	1 Tonne Hoist 25 m	Lifting	46.74	✓	-	-	✓	-	-	✓
365192	2 Tonne Hoist 6 m	Lifting	23.49	✓	-	-	✓	-	-	✓
365196	2 Tonne Hoist 12 m	Lifting	36.87	✓	-	-	✓	-	-	✓
365202	2 Tonne Hoist 25 m	Lifting	-	✓	-	-	✓	-	-	✓
365751	1 Tonne Girder Trolley	Lifting	-	✓	-	-	✓	-	-	✓
365752	2 Tonne Beam Clamp	Lifting	7.5	✓	-	-	✓	-	-	✓
365600	Indoor Split Hoist 50 kg	Lifting	8	✓	✓	✓	✓	✓	✓	✓
365605	Outdoor Split Hoist 100 kg	Lifting	10	✓	✓	✓	✓	✓	✓	✓
365858	Mobile Alloy Adjustable Gantry 2 Tonne	Lifting	135	✓	-	-	✓	-	-	-
365879	Counter Balance Lift 500 kg	Lifting	-	✓	-	-	✓	-	-	-
370120	2 Tonne Beam Clamp Adjustable	Lifting	14.5	✓	-	-	✓	-	-	✓
375240	Hydraulic Toe Jack 5 Tonne	Lifting	18	✓	-	-	✓	-	-	✓
375500	Machine Moving Skates 10 Tonne	Lifting	-	✓	-	-	✓	-	-	✓
375505	Machine Moving Skates 15 Tonne	Lifting	-	✓	-	-	✓	-	-	✓
375506	Machine Moving Skates 20 Tonne	Lifting	-	✓	-	-	✓	-	-	✓
375508	Machine Moving Skates 30 Tonne	Lifting	-	✓	-	-	✓	-	-	✓
375510	Machine Moving Skates 50 Tonne	Lifting	-	✓	-	-	✓	-	-	✓

KEY Ideal for Quiet Spaces Cordless Innovative Solution Health & Safety Approved Zero Emissions Eco-friendly Product Ideal for Compact Spaces



360025 Genie Lift SL15 (page 59)



370120 2 Tonne Beam Clamp Adjustable



365600 Indoor Split Hoist 50 kg



360050 Gas Genie Small (page 59)

Materials Handling Product Information

Hire Code	Description	Product Range	Weight (kg)				
375520	6 Tonne Skates 18 kg	Lifting	21	✓	-	✓	✓
375525	10 Tonne Skates 48 kg	Lifting	-	✓	-	✓	✓
375528	12 Tonne Skates	Lifting	-	✓	-	✓	✓
375530	20 Tonne Skates	Lifting	-	✓	-	✓	✓
375535	30 Tonne Skates	Lifting	80.5	✓	-	✓	✓
375550	Roller Crowbar	Lifting	13	✓	-	✓	✓
360008	Counter Balance Genie Lift SLK15	Lifting	284	✓	-	✓	-
360023	Counter Balance Genie Lift SLK20	Lifting	316	✓	-	✓	-
385020	Test Weight Stillage For Counter Balance 500 kg	Lifting	-	✓	-	✓	✓
375720	Triple Roller Frame	Lifting	-	✓	-	✓	✓
370120	Adjustable Beam Trolley 2 Tonne	Lifting	14.5	✓	-	✓	-
375625	Cable Drum Rollers	Cable Lifting	16	✓	-	✓	✓
375600	Cable Drum Jacks 6 Tonne	Cable Lifting	45	✓	-	✓	✓
375620	6 Tonne Bar	Cable Lifting	18	✓	-	✓	✓
375605	Cable Drum Jacks 10 Tonne	Cable Lifting	-	✓	-	✓	✓
375608	10 Tonne Bar	Cable Lifting	-	✓	-	✓	✓
375630	Electric Cable Pullers	Cable Pulling	-	✓	-	✓	✓
375628	Cable Pulling Socks 50- 63 mm	Cable Pulling	2	✓	-	✓	✓
375632	Cable Pulling Socks 90 – 110 mm	Cable Pulling	-	✓	-	✓	✓
375633	Cable Pulling Socks 20 – 30 mm	Cable Pulling	-	✓	-	✓	✓
375634	Cable Pulling Socks 40 – 50 mm	Cable Pulling	-	✓	-	✓	✓
375650	Entry V Roller	Cable Pulling	-	✓	-	✓	✓
375655	Corner Roller	Cable Pulling	-	✓	-	✓	✓
C/ROL100	Cable Roller 100 mm	Cable Pulling	-	✓	-	✓	✓
C/ROL120	Cable Roller 120 mm	Cable Pulling	-	✓	-	✓	✓
C/ROL200	Cable Roller 200 mm	Cable Pulling	-	✓	-	✓	✓

KEY  Ideal for Quiet Spaces  Innovative Solution  Health & Safety Approved  Ideal for Compact Spaces



310160 Auto Braked Panel Trolley (page 59)



310130 Auto Braked Ductwork Rack (page 59)

Pipe Work

MEP Hire offer a complete range of solutions for every job, including specialist work. Our range includes threaders for pipe and conduit, as well as benders and connection tools. In addition, we offer one of the most comprehensive ranges of roll groovers, covering a wide range of applications.

Suitable For...



Fire
Protection



Heating, Ventilation
& Refrigeration
(HVAC)



Mechanical
& Plumbing



Utilities &
Fabricators

Pipe Work Product Information

Hire Code	Description	Product Type	Weight (kg)						
250086	Conduit Bender 20, 25 mm	Bending	22.5	✓	-	✓	✓	✓	✓
250087	Conduit Bender 20, 25, 32 mm	Bending	24.5	✓	-	✓	✓	✓	✓
250075	Hydraulic Pipe Bender 1/2 – 2 inch	Bending	72	✓	-	✓	✓	✓	✓
250077	Hydraulic Pipe Bender 1/2 – 3 inch	Bending	156	✓	-	✓	✓	✓	✓
250078	Hydraulic Pipe Bender 110 V 1/2 – 2 inch	Bending	96	✓	-	✓	-	✓	✓
250085	Manual Pipe Bender 15, 22, 28 mm	Bending	24.5	✓	-	✓	✓	✓	✓
250162	Multilayer Decoil and Straightener 16 – 25 mm	Bending	9.5	✓	-	✓	✓	✓	✓
255105	Multilayer Hydraulic Bender 16 – 32 mm	Bending	3.2	✓	-	✓	✓	✓	✓
255110	Pressfit Bender 110 V 15 – 28 mm	Bending	22.8	✓	-	✓	-	✓	✓
220093	Pipe Hole Saw 4 inch	Hole Cutting	10	-	-	✓	-	-	✓
360177	Cricket Flip Pipe Trolley 12 inch Diameter 450 kg	Materials Handling	37.2	✓	✓	✓	✓	✓	✓
250208	Extending Pipe Guard	Materials Handling	25	✓	-	✓	✓	✓	-
250108	Heavy Duty Pipe Bench 6 inch Diameter 1 Tonne	Materials Handling	69	✓	-	✓	✓	✓	-
250125	Mobile Pipe Rack 2000 kg 3 m	Materials Handling	110	✓	✓	✓	✓	✓	-
250127	Pipe Rack Link Kit 1 m	Materials Handling	-	✓	-	✓	✓	✓	-
250115	Pipe Vice and Stand	Materials Handling	19.4	✓	-	✓	✓	✓	✓
250105	Steel Workbench	Materials Handling	45	✓	-	✓	✓	✓	-
250005	Soil Pipe Cutter	Pipe Cutting	4	✓	-	✓	✓	✓	✓
250007	Cast Iron Cutter 2 – 6 inch	Pipe Cutting	11.3	✓	-	✓	✓	✓	✓
220085	Small Cento Tube Cutter 110 V 22 – 108 mm	Pipe Cutting	16.8	-	-	✓	-	-	✓
250038	Large Cento Pipe Cutter 110V 40 – 225 mm	Pipe Cutting	37	-	-	✓	-	-	✓
250026	Manual Hinged Pipe Cutter 100 – 150 mm	Pipe Cutting	-	✓	-	✓	✓	✓	✓
250035	Manual Hinged Steel Pipe Cutter 200 – 300 mm	Pipe Cutting	13	✓	-	✓	✓	✓	✓

KEY  Ideal for Quiet Spaces
  Innovative Solution
  Health & Safety Approved
  Zero Emissions
  Eco-friendly Product
  Ideal for Compact Spaces



250005 Soil Pipe Cutter



250015 Manual Steel Pipe Cutter (page 64)



250085 Manual Pipe Bender

Pipe Work Product Information

Hire Code	Description	Product Type	Weight (kg)						
250020	Manual Steel Pipe Cutter 100 mm	Pipe Cutting	8.2	✓	-	✓	✓	✓	✓
250025	Manual Steel Pipe Cutter 150 mm	Pipe Cutting	10	✓	-	✓	✓	✓	✓
250015	Manual Steel Pipe Cutter 50 mm	Pipe Cutting	3.2	✓	-	✓	✓	✓	✓
220080	Orbital Pipe Cutter 115 V 100 mm	Pipe Cutting	55	-	-	✓	-	-	-
255151	Pipe Cutter/Beveller RA8 110 V 124 – 230 mm	Pipe Cutting	-	-	-	✓	-	-	-
220090	Pipe Saw 110 V 35 – 220 mm	Pipe Cutting	10	-	-	✓	-	-	✓
220092	Pipe Saw 110V 35 – 360 mm	Pipe Cutting	15.2	-	-	✓	-	-	✓
250036	Power Pipe Cutter Hydraulic 110 V 2.5 – 8 inch	Pipe Cutting	48	-	-	✓	-	-	-
250037	Power Pipe Cutter Hydraulic 110 V 8 -12 inch	Pipe Cutting	66	-	-	✓	-	-	-
250186	Power Pipe Cutter Rigid Drive 110 V	Pipe Cutting	14	-	-	✓	-	-	-
250040	Reciprocating Pipe Saw & Clamp	Pipe Cutting	9.5	-	-	✓	-	-	✓
250205	Pipe Threader Support Stand	Pipe Stand	13.2	✓	-	✓	✓	✓	✓
250206	Grooving & Welding Pipe Stand 8 inch	Pipe Stand	10.9	✓	-	✓	✓	✓	✓
250207	Grooving & Welding Pipe Stand 12 inch	Pipe Stand	75.7	✓	-	✓	✓	✓	✓
250116	Top Screw Chain Vice & Stand 5 inch	Pipe Stand	11.7	✓	-	✓	✓	✓	✓
250060	Chain Wrench	Pipe Working	7.1	✓	-	✓	✓	✓	✓
250055	Stilsons Pipe Cutter 1200 mm	Pipe Working	15.6	✓	-	✓	✓	✓	✓
250045	Stilsons Pipe Cutter 450 mm	Pipe Working	2.6	✓	-	✓	✓	✓	✓
250050	Stilsons Pipe Cutter 600, 900 mm	Pipe Working	8.7	✓	-	✓	✓	✓	✓
250221	Roll Groover Manual RID 2 – 6 inch	Roll Grooving	15	✓	-	✓	✓	✓	✓
250189	Roll Groover Power Drive Only 110 V	Roll Grooving	57.6	-	-	✓	-	-	-
250226	Roll Grooving Set 8 – 12 inch (250225)	Roll Grooving	8.2	-	-	✓	-	-	-

KEY



Ideal for Quiet Spaces



Innovative Solution



Health & Safety Approved



Zero Emissions



Eco-friendly Product



Ideal for Compact Spaces



Pipe Cutting Machine



250045 Stilsons Pipe Cutter



250116 Top Screw Chain Vice and Stand



250036 Hydraulic Power Pipe Cutter



250075 Hydraulic Pipe Bender (page 63)



250185 Portable Pipe Threader (page 65)

Pipe Work Product Information

Hire Code	Description	Product Type	Weight (kg)						
250220	Roll Pipe Groover Insitu Steel 2 – 6 inch	Roll Grooving	10.4	✓	-	✓	✓	✓	✓
250222	Roll Pipe Groover Manual Insitu Copper	Roll Grooving	10.4	✓	-	✓	✓	✓	✓
250232	Victaulic Roll Groover 110 V 2 – 12 inch	Roll Grooving	154	✓	-	✓	✓	✓	-
250231	Victaulic Roll Set 3/4 1 – 1/2 inch	Roll Grooving	-	-	-	✓	-	-	-
250230	Victaulic Hydraulic Roll Groover 2 – 12 inch	Roll Grooving	84	-	-	✓	-	-	-
250228	Victaulic Roll Set 10 8 – 12 inch	Roll Grooving	-	-	-	✓	-	-	-
250229	Victaulic Strength Thin Groover 2 – 12 inch	Roll Grooving	45	-	-	✓	-	-	-
250234	Victaulic Roll Set 2 – 6 inch Roll	Roll Grooving	-	-	-	✓	-	-	-
250223	Roll Grooving Set 8 – 12 inch for 250220	Roll Grooving	-	-	-	✓	-	-	-
250225	Roll Pipe Groover Hydraulic 2 – 6 inch	Roll Grooving	36	-	-	✓	-	-	-
250172	Tube Tee Extractor Kit 15 – 42 mm	T Extraction	8.3	✓	✓	✓	✓	✓	✓
250210	141 Receeder Die Head 2 – 4 inch	Threading	42.2	-	-	✓	-	-	-
250194	Pipe Threader & Self-Oiler 110 V 2 inch	Threading	70	-	-	✓	-	-	-
250195	Pipe Threader & Stand 110 V 3 inch	Threading	107.7	-	-	✓	-	-	-
250200	Pipe Threader & Stand 110 V 4 inch	Threading	215.7	-	-	✓	-	-	-
250190	Pipe Threader & Tri-Stand 110 V 2 inch	Threading	91	-	-	✓	-	-	-
250185	Portable Pipe Threader 110 V 2 inch	Threading	25	-	-	✓	-	-	-
250175	Ratchet Pipe Threader 2 inch	Threading	14.2	✓	-	✓	✓	✓	✓
250180	Conduit Pipe Threader	Threading	-	✓	-	✓	✓	✓	✓
250260	Ridgid 161 Die Head 4 – 6 inch	Threading	71.7	-	-	✓	-	-	-
250215	Ridgid 760 FXP Power Drive Threading Tool	Threading	15	-	✓	✓	✓	✓	-
250218	Ridgid 760 FXP Pipe Threading Die Set 1/2 – 2 inch	Threading	5	-	-	-	-	-	-
250219	Ridgid 760 FXP Pipe Threading Oiler & Bucket	Threading	6	-	-	-	-	-	-

KEY  Ideal for Quiet Spaces  Innovative Solution  Health & Safety Approved  Zero Emissions  Eco-friendly Product  Ideal for Compact Spaces



250194 Pipe Threader and Self-Oiler



Roll Groover



250232 Victaulic 110V Roll Groover 2-12 inch



220090 Pipe Saw 110v 35-220 mm (page 64)

Power Tools

Our extensive range of power tools covers everything from drilling and sawing to cutting and grinding. We also have a wide range of complementary consumables.

Suitable For...



Commercial
Fit-out



Electrical
Contractors



Fire
Protection



Heating, Ventilation
& Refrigeration
(HVAC)



Mechanical
& Plumbing



Utilities &
Fabricators

Power Tools Product Information

Hire Code	Description	Product Range	Weight (kg)							
090015	SDS Plus Light Duty Hammer Drill	Drills	3.3	-	-	-	✓	✓	✓	✓
090025	SDS Heavy Duty Hammer Drill	Drills	5.6	-	-	-	✓	✓	✓	✓
090040	Cordless Drill Driver 18 V	Drills	4.5	✓	✓	-	✓	✓	✓	✓
090045	Cordless Combi Drill 14 / 18 V	Drills	4.5	✓	✓	-	✓	✓	✓	✓
090050	Cordless SDS Hammer Drill 18 V	Drills	6	-	✓	-	✓	✓	✓	✓
090055	Cordless SDS Plus Hammer Drill 36 V	Drills	8	-	✓	-	✓	✓	✓	✓
100005	Light Duty Hand Held Diamond Drill	Drills	4	-	✓	-	✓	✓	✓	✓
120072	Tek Cordless Screwdriver	Drills	-	✓	✓	-	✓	✓	✓	✓
120086	Cordless Impact Driver 18 V	Drills	3.2	✓	✓	-	✓	✓	✓	✓
090140	Mini Magnetic Broaching Drill	Drills	13.65	-	-	-	✓	✓	✓	✓
090145	Large Magnetic Broaching Drill	Drills	15.85	-	-	-	✓	✓	✓	✓
120006	Cordless Impact Wrench 1/2 inch	Wrench	3.2	-	✓	-	✓	✓	✓	✓
120007	Cordless Impact Wrench 3/4 inch	Wrench	-	-	✓	-	✓	✓	✓	✓
210010	Electric Angle Grinder 115 mm	Angle Grinder	2.22	-	-	-	✓	✓	✓	✓
210015	Electric Angle Grinder 125 mm	Angle Grinder	3.9	-	-	-	✓	✓	✓	✓
210020	Electric Angle Grinder 180 mm	Angle Grinder	-	-	-	-	✓	✓	✓	✓
210025	Electric Angle Grinder 230 mm	Angle Grinder	8.05	-	-	-	✓	✓	✓	✓
210026	Cordless Grinder 115 mm	Angle Grinder	4.5	-	✓	-	✓	✓	✓	✓
210030	Cordless Grinder 125 mm	Angle Grinder	4.9	-	✓	-	✓	✓	✓	✓
220010	Electric Chop Saw	Chop Saw	18.3	-	-	-	✓	✓	✓	✓
220015	Electric Chop Saw TCT	Chop Saw	19.3	-	-	-	✓	✓	✓	✓
220020	Electric Metal Nibblers	Metal Nibblers	3.4	✓	-	-	✓	✓	✓	✓
220065	Cordless M10 Rod / Stud Cutter	Rod Cutting	5	✓	✓	✓	✓	✓	✓	✓
220070	Manual Threaded Rod Cutter	Rod Cutting	5.4	✓	✓	✓	✓	✓	✓	✓
350025	Sliding Compound Mitre Saw	Cutting	26.5	-	-	-	✓	✓	✓	✓
350055	Cordless Circular Saw 165 mm	Cutting	4	-	✓	-	✓	✓	✓	✓
350070	Electric Reciprocating Saw	Cutting	3.5	-	-	-	✓	✓	✓	✓
350080	Cordless Reciprocating Saw	Cutting	5.6	-	✓	-	✓	✓	✓	✓
350085	Electric Jigsaw	Cutting	2.7	✓	-	-	✓	✓	✓	✓
350090	Cordless Jigsaw	Cutting	4.7	✓	✓	-	✓	✓	✓	✓
350211	Cordless Multi Tool	Cutting	2.2	✓	✓	-	✓	✓	✓	✓
220262	StrutSlayr Strut Shear Head Press Tool	Cutting	9	✓	✓	✓	✓	✓	✓	✓
220265	StrutSlayr Strut Shear Head Die Head 21 x 41 mm	Cutting	9	✓	✓	✓	✓	✓	✓	✓
220263	StrutSlayr Strut Shear Head Die Head 41 x 41 mm	Cutting	9	✓	✓	✓	✓	✓	✓	✓

KEY  Ideal for Quiet Spaces  Cordless  Innovative Solution  Health & Safety Approved  Zero Emissions  Eco-friendly Product  Ideal for Compact Spaces




350080 Cordless Reciprocating Saw



220262 StrutSlayr Strut Shear Head



090055 Cordless SDS Plus Hammer Drill



Site Safe

We understand that you need to be able to store equipment effectively on-site and protect valuable materials against damage or loss. With this in mind, we have worked closely with manufacturers to create a range of storage and security solutions that will give you exactly what you need.

Suitable For...



Commercial
Fit-out



Electrical
Contractors



Fire
Protection



Heating, Ventilation
& Refrigeration
(HVAC)



Mechanical
& Plumbing



Utilities &
Fabricators

Site Safe Product Information

Hire Code	Description	Product Range	Weight (kg)						
310070	Security Chest Fuel	Storage	153	✓	-	✓	-	-	✓
310078	Multipurpose Site Station	Storage	280	✓	-	✓	-	-	✓
310080	Folding Gas Compound	Storage	133	✓	-	✓	-	-	✓
290120	Battery Bank	Storage	63	✓	-	✓	-	-	✓
310077	Fittings Cabinet with Storage Bins	Storage	139	✓	-	✓	-	-	✓
310079	Mobile Store Workbench with 2 Vices	Storage	100	✓	-	✓	-	-	✓
310110	Mobile Pipe Store 3 m	Storage	72.5	✓	✓	✓	-	-	✓
310115	Mobile Pipe Store 6 m	Storage	72.5	✓	✓	✓	-	-	-
310117	Pipe Store Extension 1.5 m	Storage	66.5	✓	✓	✓	-	-	-
310120	Tool Vault Small 4 × 2 × 2 m	Storage	95	✓	-	✓	-	-	✓
310125	Tool Vault Large 4 × 4 × 2 m	Storage	112	✓	-	✓	-	-	-
310007	Portable Site Store 2075 × 2075 × 2160 mm 384 kg	Storage	-	-	-	-	-	-	-
310010	Portable Site Store 2990 × 2075 × 2160 mm 467 kg	Storage	-	-	-	-	-	-	-
310015	Portable Site Store 3995 × 2075 × 2160 mm 594 kg	Storage	-	-	-	-	-	-	-
AC/BARRIER	Acoustic Barrier 1335 × 205 mm 6.3 kg	Storage	-	✓	-	-	✓	✓	-
Hurdle	Hurdle Barrier 2000 × 1000 mm 15.2 kg	Storage	-	-	-	-	-	-	-
310130	Auto Braked Ductwork Rack 750 kg	Materials Handling	105	✓	✓	✓	-	-	-
310135	Auto Braked Transfer Trolley 2 Tonne	Materials Handling	140	✓	✓	✓	-	-	✓
310160	Auto Braked Panel Trolley BS1757:3	Materials Handling	142	✓	✓	✓	-	-	✓
310165	ABPT Load Safe Carrier (Fits 310160)	Materials Handling	-	✓	✓	✓	-	-	-
250125	Pipe Rack	Materials Handling	-	✓	✓	✓	-	-	-
310084	Mobile Cutting Station Plus	Cutting	295	✓	✓	✓	-	-	✓
310150	Compact Cutting Station Plus 900s With Index Saw	Cutting	291	✓	✓	✓	-	-	✓
310155	Compact Cutting Station 900S Surelock (No Saw)	Cutting	240	✓	✓	✓	-	✓	✓

KEY  Ideal for Quiet Spaces  Innovative Solution  Health & Safety Approved  Zero Emissions  Eco-friendly Product  Ideal for Compact Spaces



310077 Fittings Cabinet with Storage Bins



310079 Mobile Store Workbench with 2 Vices



310130 Auto Braked Ductwork Rack



310160 Auto Braked Panel Trolley



310155 Compact Cutting Station 900S Surelock (No Saw)



250125 Pipe Rack

Site Services

We can support you with all of your lighting and power needs, no matter what stage you are at in your project. All of our lighting incorporates low energy LED.

Suitable For...



Commercial
Fit-out



Electrical
Contractors



Fire
Protection



Heating, Ventilation
& Refrigeration
(HVAC)



Mechanical
& Plumbing



Utilities &
Fabricators

Site Services Product Information

Hire Code	Description	Product Range	Weight (kg)					
290005	Portable Transformer 3kva	Power	18	-	✓	✓	✓	✓
290010	Portable Transformer 5kva	Power	32	-	✓	✓	✓	✓
290014	Heater Transformer 3kva Vented	Power	32	-	✓	✓	✓	-
290020	Site Transformer 10kva 1PH	Power	85	-	✓	✓	✓	-
290025	Site Transformer 10kva 3PH	Power	85	-	✓	✓	✓	-
290035	Step-up Transformers	Power	18	-	✓	✓	✓	✓
290055	RCD Power Breaker Industrial	Power	1	-	✓	✓	✓	✓
290070	4 Way Junction Box	Power	2.7	-	✓	-	-	✓
110/16	Extension Lead 110 V – 16 Amp 14 m	Power	-	-	✓	-	-	✓
110/16/25	Extension Lead 110 V 16 Amp 25 m	Power	-	-	✓	-	-	✓
110/32	Extension Lead 110 V 32 Amp	Power	-	-	✓	-	-	✓
110/32/4MM	Extension Lead 110 V 32 Amp 4 mm x 14 m	Power	-	-	✓	-	-	✓
415/32	Extension Lead 415 V 32 Amp	Power	-	-	✓	-	-	✓
415/32/1	Extension Lead 415 V 32 Amp 1 m	Power	-	-	✓	-	-	✓
415/32A	Extension Lead 415 V 5 Pin 20 m	Power	-	-	✓	-	-	✓
300021	K9 LED Worklight with Charger	Lighting	11.8	✓	✓	-	-	✓
300033	Rechargeable LED Work Light with Tripod	Lighting	1.52	✓	✓	-	-	✓
300076	LED Task Light 110 V	Lighting	1.66	-	✓	-	-	✓
300083	LED Uplight 110 V	Lighting	4	-	✓	-	-	✓

KEY  Cordless  Health & Safety Approved  Zero Emissions  Eco-friendly Product  Ideal for Compact Spaces



110/16 Extension Lead



300076 LED Task Light 110 V



300083 LED Uplight 110 V



290020 Site Transformer 10kva



290070 4 Way Junction Box

Testing & Freezing

We offer a range of pressure testers from 1 - 100bar (14.5 – 145 psi), applicable for hydrostatic testing or air testing of pipework installations.

Suitable For...



Fire
Protection



Heating, Ventilation
& Refrigeration
(HVAC)



Mechanical
& Plumbing



Utilities &
Fabricators

Testing & Freezing Product Information

Hire Code	Description	Product Range	Weight (kg)				
250150	Pipe Freeze Kit Electric Large 15 – 60 mm	Pipe Work Tooling	28	✓	✓	-	✓
250152	Pipe Freeze Kit 2 1/2 – 3 inch (to fit 250150)	Pipe Work Tooling	3	✓	✓	✓	✓
250167	Pipe Pressure Test Compressor 8 Bar	Pipe Work Tooling	26.5	-	✓	-	✓
250165	Electric Pressure Tester	Pipe Work Tooling	36	✓	✓	-	✓
250155	Manual Pressure Tester	Pipe Work Tooling	6.4	✓	✓	✓	✓

KEY  Ideal for Quiet Spaces  Health & Safety Approved  Eco-friendly Product  Ideal for Compact Spaces



250167 Pipe Pressure Test Compressor 8 Bar



250155 Manual Pressure Tester



250165 Electric Pressure Tester



250150 Electric Pipe Freeze Kit



Wide range of **consumables** available to purchase. Please see pages 76-79.

Welding

We have a fantastic range of welding equipment suitable for metal fabrications. No matter whether you are performing MMA stick, MIG or TIG welding processes, as well as oxy-acetylene or oxy-propane brazing or cutting, we have the tools to help you get the job done.

Suitable For...



Fire
Protection



Heating, Ventilation
& Refrigeration
(HVAC)




Mechanical
& Plumbing

Welding Product Information

Hire Code	Description	Product Range	Weight (kg)						
340100	Transpocket Welder 155 Amp 110 – 240 V	MMA Welding	5.7	✓	-	✓	-	-	✓
340105	Transpocket Welder 3 Phase 400 Amp 415 V	MMA Welding	31.2	✓	-	✓	-	-	✓
340030	Petrol Welder Generator 200 Amp	MMA Welding	105	-	-	✓	-	-	-
340035	Diesel Welder Generator 200 Amp	MMA Welding	105	-	-	✓	-	-	-
340040	Diesel Welder Generator 300 Amp	MMA Welding	375	-	-	✓	-	-	-
340045	Remote Control	MMA Welding	2.6	✓	-	✓	-	-	✓
340050	Welding Extension Leads Light Duty	MMA Welding	6.5	-	-	✓	-	-	✓
340055	Welding Extension Leads Heavy Duty	MMA Welding	10.6	-	-	✓	-	-	✓
340161	Plasma Cutter 240 V	Plasma	11.8	✓	-	✓	-	-	-
340190	Plasma Cutter 415 V	Plasma	19.5	✓	-	✓	-	-	-
060027	2HP 11CFM 50 Litre Compressor 32 Amp 110 V	Plasma	66	-	-	✓	-	-	-
060028	3HP 13CFM 100 Litre Compressor 415 V	Plasma	71	-	-	✓	-	-	-
340066	Oxy/Acet Maxi-Pack	Welding	12	✓	✓	✓	-	-	✓
340068	Oxy/Acet Hose Set 10 mm 20 m	Welding	14	✓	✓	✓	-	-	✓
340070	Welding Screen	Welding	12	✓	✓	✓	✓	✓	-
340080	OXY/Propane Maxi-Pack	Welding	12	✓	✓	✓	-	-	✓
340150	Welding Tent	Welding	27	✓	✓	✓	✓	✓	-
340110	Ultra Weld Clamp 5 – 12 inch	Welding	6	✓	✓	✓	✓	✓	✓
340115	Ultra Weld Clamp 2 – 6 inch	Welding	5	✓	✓	✓	✓	✓	✓

KEY  Ideal for Quiet Spaces  Cordless  Health & Safety Approved  Zero Emissions  Eco-friendly Product  Ideal for Compact Spaces



340110 / 340115 Ultra Weld Clamp



340035 Diesel Welder Generator 200 Amp



340050 Welding Extension Leads Light Duty



340150 Welding Tent



340040 Diesel Welder Generator 300 Amp

We stock
Green HVO+
Fuel Boxes to
power your
hires.

Consumables

MEP Hire offer a wide range of consumables and PPE that will support you to be compliant with your safety obligations and protect workers. If you can't see the item you're looking for, just let us know and we'll source it for you.

Suitable For...



Commercial
Fit-out



Electrical
Contractors



Fire
Protection



Heating, Ventilation
& Refrigeration
(HVAC)



Mechanical
& Plumbing



Utilities &
Fabricators

Consumables Product Information

Hire Code	Description	Product Area	IPAF Approved	
IMP.322	Clear Vented Visitors Overspecs	PPE	✓	✓
IMP.329	Standard Safety Goggles Direct Ventilated	PPE	✓	✓
TRA.ISE09X	Galactic Wide Vision High Impact Clear Safety Goggle	PPE	✓	✓
TRA.ISE105X	Solar Smoke Lens Safety Specs	PPE	✓	✓
TRA.ISE106X	Solar Amber Lens Safety Specs	PPE	✓	✓
TRA.ISE107X	Solar Clear Lens Safety Specs	PPE	✓	✓
TRA.ISE108X	Solar Blue Mirror Lens Safety Specs	PPE	✓	✓
TRA.ISE21ZX	Zodiac Sportz Smoke Lens Safety Specs	PPE	✓	✓
TRA.ISE22ZX	Zodiac Sportz Amber Lens Safety Specs	PPE	✓	✓
TRA.ISE23ZX	Zodiac Sportz Clear Lens Safety Specs	PPE	✓	✓
TRA.ISE69	Ultrinov Wide Vision Clear Safety Goggle	PPE	✓	✓
TRA.KS1L8	Keepsafe Black Latex Red Glove Size 8	PPE	✓	✓
TRA.KS1L9	Keepsafe Black Latex Red Glove Size 9	PPE	✓	✓
TRA.KS1L10	Keepsafe Black Latex Red Glove Size 10	PPE	✓	✓
TRA.KS1N8	Keepsafe Black Nitrile Red Glove Size 8	PPE	✓	✓
TRA.KS1N9	Keepsafe Black Nitrile Red Glove Size 9	PPE	✓	✓
TRA.KS1N10	Keepsafe Black Nitrile Red Glove Size 10	PPE	✓	✓
TRA.KS1PU8	Keepsafe Black Pu Red Glove Size 8	PPE	✓	✓
TRA.KS1PU9	Keepsafe Black Pu Red Glove Size 9	PPE	✓	✓
TRA.KS1PU10	Keepsafe Black Pu Red Glove Size 10	PPE	✓	✓
TRA.KS3NF8	Keepsafe Black Nit Orange Glove Size 8	PPE	✓	✓
TRA.KS3NF9	Keepsafe Black Nit Orange Glove Size 9	PPE	✓	✓
TRA.KS3NF10	Keepsafe Black Nit Orange Glove Size 10	PPE	✓	✓

KEY  Health & Safety Approved



IMP.329 Standard Safety Goggles Direct Ventilated



TRA.ISE09X Galactic Wide Vision High Impact Clear Safety Goggle



TRA.ISE69 Ultrinov Wide Vision Clear Safety Goggle



TRA.KS1PU Keepsafe Black Pu Red Glove



TRA.KS3PU Keepsafe Black Pu Orange Glove (page 78)



TRA.KS5PU Keepsafe Black Pu Green Glove (page 78)

Consumables Product Information

Hire Code	Description	Product Area	IPAF Approved	
TRA.KS3PU8	Keepsafe Black Pu Orange Glove Size 8	PPE	✓	✓
TRA.KS3PU9	Keepsafe Black Pu Orange Glove Size 9	PPE	✓	✓
TRA.KS3PU10	Keepsafe Black Pu Orange Glove Size 10	PPE	✓	✓
TRA.KS5L8	Keepsafe Black Green Glove Size 8	PPE	✓	✓
TRA.KS5L9	Keepsafe Black Green Glove Size 9	PPE	✓	✓
TRA.KS5L10	Keepsafe Black Green Glove Size 10	PPE	✓	✓
TRA.KS5NF8	Keepsafe Black Nit Green Glove Size 8	PPE	✓	✓
TRA.KS5NF9	Keepsafe Black Nit Green Glove Size 9	PPE	✓	✓
TRA.KS5NF10	Keepsafe Black Nit Green Glove Size 10	PPE	✓	✓
TRA.KS5PU8	Keepsafe Black Pu Green Glove Size 8	PPE	✓	✓
TRA.KS5PU9	Keepsafe Black Pu Green Glove Size 9	PPE	✓	✓
TRA.KS5PU10	Keepsafe Black Pu Green Glove Size 10	PPE	✓	✓
TRA.KS5PU11	Keepsafe Black Pu Green Glove Size 11	PPE	✓	✓
TRA.5323DP10	Tuff 3-Digit Cut Level 5 Pu Glove Size 10	PPE	✓	✓
TRA.5323DP8	Tuff 3-Digit Cut Level 5 Pu Glove Size 8	PPE	✓	✓
TRA.5323DP9	Tuff 3-Digit Cut Level 5 Pu Glove Size 9	PPE	✓	✓
TRA.5T3SS	Tuff Guyz Cut Level 5 14 inch Sleeve + Thumbslot	PPE	✓	✓
TRA.AO3BLACK	Aero Vent Short Peak Safety Helmet Black	PPE	✓	✓
TRA.AO3BLUE	Aero Vent Short Peak Safety Helmet Blue	PPE	✓	✓
TRA.AO3RED	Aero Vent Short Peak Safety Helmet Red	PPE	✓	✓

KEY  Health & Safety Approved



TRA.5323DP Tuff 3-Digit Cut Level 5 Pu Glove



TRA.AO3 Aero Vent Short Peak Safety Helmet



KRA.FA8000200 Fall Arrest Harness (page 79)



TRA.S10 Premium Quality Lined Gauntlets (page 79)



POR.PW65 Bizweld Plus Black Welding Helmet (page 79)



MED.10E 10 Person Standard First Aid Kit (page 79)

Consumables Product Information

Hire Code	Description	Product Area	IPAF Approved	
TRA.AO3WHITE	Aero Vent Short Peak Safety Helmet White	PPE	✓	✓
TRA.AO3YELLOW	Aero Vent Short Peak Safety Helmet Yellow	PPE	✓	✓
TRA.CHIN	Elasticated Chin Strap	PPE	✓	✓
AJS260-000-100	Skywalker Hard Hat White	PPE	✓	✓
AJS260-001-100	Skywalker Hard Hat Black	PPE	✓	✓
TRA.S10	Premium Quality Lined Gauntlets	PPE	✓	✓
POR.PW65	Bizweld Plus Black Welding Helmet	PPE	✓	✓
MED.10E	10 Person Standard First Aid Kit	PPE	✓	✓
TRA.DNDM	Nuisance Na Dust Masks CE Only Pack of 50	PPE	✓	✓
TRA.DRP1V	FFP1 Valved Dust Disposable Masks Pack of 10	PPE	✓	✓
TRA.DRP2V	FFP2 Valved Dust/Mist Disposable Masks Pack of 10	PPE	✓	✓
TRA.DRP3V	FFP3 Valved Dust/Mist/Fume Disposable Masks Pack of 5	PPE	✓	✓
KRA.FA8000200	Fall Arrest Harness, Lanyard & Hood	PPE	✓	✓
TRA.233	Red/Black Standard Ear Defender Snr 24db	PPE	✓	✓
TRA.EM30	Earz Wire Headband Ear Defender Snr 30db	PPE	✓	✓
TRA.EPF36	Earz Un-Corded Earplugs Snr 36db Pack of 200	PPE	✓	✓
TRA.EPFC36	Earz Corded Earplugs Snr 36db Pack of 100	PPE	✓	✓
TRA.SHVA	Hi-Visibility Yellow Parka Jacket Concealed Hood	PPE	✓	✓
TRA.SHVBJ	Hi-Visibility Yellow Bomber Jacket Concealed Hood	PPE	✓	✓
PRA.PR336	Pulsarail Hi-Visibility Orange Trousers	PPE	✓	✓

KEY  Health & Safety Approved



TRA.DNDM Nuisance Na Dust Masks CE Only



TRA.DRP1V FFP1 Valved Dust Disposable Masks



TRA.DRP2V FFP2 Valved Dust/Mist Disposable Masks



TRA.DRP3V FFP3 Valved Dust/Mist/Fume Disposable Masks



TRA.EPF36 Earz Un-Corded Earplugs Snr 36db



TRA.EPFC36 Earz Corded Earplugs Snr 36db

Tool Tethering

Save lives and improve your productivity with our robust, tried and tested range of tool tethering options. Our solutions have been designed for excellent performance, tested in the harshest environments and approved by the most demanding health and safety professionals.

Suitable For...



Commercial
Fit-out



Electrical
Contractors



Fire
Protection



Heating, Ventilation
& Refrigeration
(HVAC)



Mechanical
& Plumbing



Utilities &
Fabricators

Tool Tethering Product Information

Hire Code	Description			
NLG101355	Tether Tape	✓	✓	✓
NLG101361	Small D Ring Tool Tether	✓	✓	✓
NLG101362	Large D Ring Tool Tether	✓	✓	✓
NLG101375	Non-Conductive D Ring Tool Tether	✓	✓	✓
NLG101367	Tether Choke	✓	✓	✓
NLG101368	Tether Choke Single Arm	✓	✓	✓
NLG101369	Tether Choke Twin Arm	✓	✓	✓
NLG101364	Short Coiled Tool Lanyard Q Clip	✓	✓	✓
NLG101370	Coiled Tool Lanyard	✓	✓	✓
NLG101376	Short Coiled Tool Lanyard VDE	✓	✓	✓
NLG101371	Mini Coiled Tool Lanyard	✓	✓	✓
NLG101372	Bungee Tool Lanyard	✓	✓	✓
NLG101373	HD Bungee Tool Lanyard	✓	✓	✓
NLG101374	Super HD Webbing Tool Lanyard	✓	✓	✓
NLG101358	Helmet Lanyard	✓	✓	✓
NLG101399	Coiled Helmet Lanyard	✓	✓	✓
NLG101436	Webbing Lanyard Tool 1 m	✓	✓	✓
NLG101380	Tether Loop 120	✓	✓	✓
NLG101381	Tether Loop 150	✓	✓	✓
NLG101413	Tether Loop 170	✓	✓	✓
NLG101481	Mini Adhesive D Ring	✓	✓	✓
NLG101360	Ascent Bucket	✓	✓	✓
NLG101359	Ascent Bucket Liner	✓	✓	✓
NLG101412	Ascent Bucket Lid	✓	✓	✓
NLG101597	Low Level Access Tethering Kit. Includes: 4 x Bungee Lanyard (NLG101434), 1 x Tether Tape (NLG101355) 2 x Large D Ring (NLG101362), 2 x Small D Ring (NLG101361)	✓	✓	✓
ZZPEN	Tray and Tether Strap	✓	✓	✓

KEY  Innovative Solution  Health & Safety Approved  Ideal for Compact Spaces



NLG101361 Small D Ring Tool Tether



ZZPEN Tray and Tether Strap



Wrist Tool Lanyard Setup

Tool Tethering Product Information

Hire Code	Description			
NLG101414	Tape Measure Holster	✓	✓	✓
NLG101466	Tether Ring Small 19 mm	✓	✓	✓
NLG101273	Tether Ring Medium 25 mm	✓	✓	✓
NLG101275	Tether Ring Large 38 mm	✓	✓	✓
NLG101365	Adjustable Wristband 1.5 kg	✓	✓	✓
NLG101366	Belt Loop Anchor D Ring	✓	✓	✓
NLG101426	8 Ring For Screwdrivers Medium	✓	✓	✓
NLG101427	8 Ring For Screwdrivers Large	✓	✓	✓
NLG101363	360 D Ring Loop Tool Tether	✓	✓	✓
NLG101435	Webbing Tool Lanyard 1.5 m	✓	✓	✓
NLG101434	Extended Bungee Lanyard With Q Clips	✓	✓	✓
NLG101389	HD Retractable Lanyard 1.58 kg	✓	✓	✓
NLG101480	Mini Retractable Tool Lanyard	✓	✓	✓

KEY  Innovative Solution  Health & Safety Approved  Ideal for Compact Spaces



NLG101273 Tether Ring Medium 25 mm



NLG101358 Helmet Lanyard (page 81)



NLG101360 Ascent Bucket (page 81)



NLG101362 Large D Ring Tool Tether (page 81)



Tool Tethering System

Tool Tethering Product Information

Hire Code	Description			
NLG101422	BiLock™ Velcro Anchor	✓	✓	✓
NLG101454	TriLock™ Velcro Anchor	✓	✓	✓
NLG101470	Tool Holster	✓	✓	✓
NLG101450	Heavy Duty Retractable Tool Lanyard Carabiner	✓	✓	✓
NLG101451	Heavy Duty Retractable Tool Lanyard Swivel	✓	✓	✓
NLG101452	Heavy Duty Retractable Tool Lanyard Q_Clip	✓	✓	✓
NLG101456	Retractable Quick Clip Attachment	✓	✓	✓
NLG101455	Retractable Loop Attachment	✓	✓	✓
NLG101383	Phone Case	✓	✓	✓
NLG101423	MEWP Bag	✓	✓	✓
NLG101384	Tablet Case	✓	✓	✓
NLG101418	Radio Holster	✓	✓	✓
NLG101400	Aero Pouch SM Parts with 2 D Rings	✓	✓	✓
NLG101421	Linesman Bag	✓	✓	✓

KEY  Innovative Solution  Health & Safety Approved  Ideal for Compact Spaces



NLG101383 Phone Case




NLG101368 Tether Choke Single Arm (page 81)



NLG101368 Tether Choke Single Arm (page 81)



NLG101414 Tape Measure Holster (page 82)



NLG101370 Coiled Tool Lanyard (page 81)



Health & Safety Guidance

Our in-house experts can guide you through your safety obligations; helping you to be compliant and keep your workforce safe...



Risk Assessment

As an employer, you are required by law to protect your employees, and others, from harm.



Identify your risks:

- Pin-point what could cause injury or illness in your business (hazards)
- Decide how likely it is that someone could be harmed and how seriously (the risk)
- Take action to eliminate the hazard, or if this isn't possible, control the risk.

You can find more information on the HSE website: www.hse.gov.uk/simple-health-safety/risk

MEP Hire can offer you guidance and support around better managing your risks, such as falling from heights.



Noise Reduction

There are many ways of reducing noise and noise exposure - often a combination of methods works best.



First think about how to remove the loud noise altogether. If that is not possible, do all you can to control the noise at source, consider taking measures to protect individual workers where needed.

Further information can be found on the HSE website at: www.hse.gov.uk/noise

MEP Hire can support you with innovative solutions for noise reduction on your sites, including our cutting stations and Personal Protective Equipment (PPE).



Hand Arm Vibration (HAVS)

HAVS can be a significant health risk wherever powered hand tools are used for significant lengths of time.



A serious and disabling issue, nearly 2 million people are thought to be at risk. Damage from HAVS can include the inability to do fine work and can trigger painful finger blanching attacks. It is preventable, but once the damage is done, it is permanent. Under the Control of Vibration at Work Regulations 2005, employers must assess and identify measures to eliminate or reduce risks from exposures to harmful vibration.

There are steps that you can take to manage the risk of HAVS in your workplace and more information is available on the HSE website at: www.hse.gov.uk/vibration/hav

MEP Hire can offer support and guidance on the best machinery to use to reduce the risks of HAVS.



Dust

Dust is tiny, dry particles in the air that are produced when materials are cut, drilled, demolished or sanded etc.




Dust is not always an obvious health hazard, as the particles which cause the most damage are often invisible to the naked eye. The health effects of exposure can take many years to develop.

Information on controlling exposure to dust in the workplace can be found on the HSE website at: www.hse.gov.uk/dust

If you are unsure what solutions you could implement to reduce the risk of exposure to dust then ask the experts at MEP Hire.

MEP Hire a trusted and recognised hire partner...



Index

A

Access 10-15, 17, 19, 21, 23, 28-39
 Access tower 17, 23, 28-39
 Alloy access 17, 23, 28-39
 Alloy tower 17, 23, 28-39
 Angle grinders 67
 Aquatechnik 46-47

B

Battery bank 69
 Benders 63
 Bevellers 64
 Broaching drill 67
 Brugg 27, 48-49
 Butt fusion 25, 56-57

C

Cabinets 58-61
 Commercial fit out 16-17
 Cable crimping 19, 50-51
 Cable cutting 19, 50-51
 Cable drum jacks 19, 50-51
 Cable drum roller 50-51
 Cable grip 50-51
 Cable pulling 50-51
 Cable rolling 50-51
 Cable tools 19, 50-51
 Cabling 19, 50-51
 Chopsaws 66-67
 Chain vice 64
 Chain wrench 64
 Circular saws 66-67
 Clamps 75
 Compressor 73, 75
 Conex Banninger 42-45
 Conduit pipe threader 65
 Consumables 76-79
 Cordless drills 66-67
 Counter balance lifts 58-61
 Cutting 19, 21, 23, 25, 40-47, 48-49, 50-51, 53, 62-65, 66-67, 68-69
 Cutting station 68-69

D

Decoilers 63
 Desk surfer 17, 30-31
 Diamond drill 67
 Die heads 66-67
 Drills 66-67
 Duct leakage 23, 52-53
 Duct testing 23, 52-53
 Ductwork 23, 52-53
 Ductwork cutter 23, 52-53
 Ductwork rack 23, 52-53
 Dust 54-55, 76-79, 86
 Dust extraction 54-55

E

Ear defenders 79
 Ear plugs 79
 Ecolift 14, 30-31
 Electrical 18-19, 50-51, 70-71
 Extension leads 70-71

F

Fire protection 20-21
 Fittings cabinets 68-69
 Fit out 16-17
 Freezing 72-73
 Fume eliminator 55
 Fume filter 55
 Fusion 56-57
 Fusion welder 25, 56-57

G

Gas compound 69
 Gas genie 59
 Gas trolley 58-61
 Geberit 42-43
 Generators 57
 Genie Scissor Lift 15, 30-31
 Gloves 76-79
 Goggles 76-79
 Grinders 67
 Grooving 21, 62-65

H

Hammer drill 67
 Hand arm vibration 86
 Hard hat 78-79
 Harness 79
 HAVS 86
 HDPE 25, 56-57
 Health & Safety 84-86
 Heating 71
 Helmet 78-79
 High visibility workwear 76-79
 Hoist 23, 58-61
 HPPE 56-57
 HVAC 22-23
 Hydraulic bender 63
 Hydraulic jack 60
 Hydraulic pipe cutter 64

I

Impact wrench 67

J

Jigsaws 67
 JLG 15, 30-31
 Junction box 71

L

Ladders 30-31
 Lanyards 79, 80-83
 Lighting 70-71
 LLA 10-15, 17, 19, 21, 23, 28-39
 Load platform 28-39
 Low level access 10-15, 17, 19, 21, 23, 28-39

M

Makita 67
 Masks 79
 Materials handling 23, 27, 58-61
 Materials lift 58-61
 Mechanical 24-25
 Micro Scissor Lift 15, 21, 30-31
 MiStairs 17, 30-31
 MiTower 23, 30-31
 Mitre saw 67
 Multi tools 67

N

Nanolift 14, 30-31
 Nibblers 23, 53
 Noise reduction 85

P

Pallet truck 59
 Panel trolley 17, 59
 Pecolift 14, 19, 30-31
 Pegler Yorkshire 42-43
 Pipe bench 63
 Pipe bender 62-65
 Pipe bogey 27, 59
 Pipe cradle 59
 Pipe cutting 21, 62-65
 Pipe freezing 72-73
 Pipe guard 62-65
 Pipe rack 63
 Pipe saw 62-65
 Pipe scraper 62-65
 Pipe storage 62-65, 69
 Pipe straightener 62-65
 Pipe testing 73
 Pipe threader 62-65
 Pipe trolley 59, 69
 Pipe vice 63
 Pipework 19, 21, 62-65
 Platforms 10-15, 17, 19, 21, 23, 28-39
 Podiums 10-15, 17, 19, 21, 23, 28-39
 Pop Up Pro IQ 13, 30-31
 Power tools 66-67
 Power Tower 15, 30-31
 Power Towers 14-15, 30-31
 Pressure testers 21, 72-73
 Press depth gauge 42-43
 Press fit tools 40-47
 Press guns 25, 40-47

Press jaws 25, 40-47
 Press tools 25, 40-47
 Press tool collars 40-47
 Press tube cutter 42-43
 Press tube deburrer 42-43
 Pressure testing 72-73
 Plumbing 24-25
 PPE 76-79
 PPr 57

R

Reciprocating saw 67
 Risk assessment 85
 Roll groovers 21, 62-65

S

Sack truck 59
 Safety gloves 77-78
 Safety goggles 77
 Safety guidance 84-86
 Safety helmet 78-79
 Saws 67
 Scissor lift 15, 21, 30-31
 Screwdrivers 67
 Security chest 68-69
 Site safety 68-69
 Site security 68-69
 Site services 70-71
 Skates 58-61
 Socket fusion 57
 Spiral duct cutter 23, 53
 Spoolkart 19, 51
 Stairs 17, 30-31
 Steps 30-31
 Stilsons 64
 Storage 58-61, 68-69
 Strutslayr 25, 67
 Stud cutters 25, 67
 Surface preparation tool 57

T

Testing 21, 23, 72-73
 Tethering 13, 80-83
 Threader 19, 25, 62-65
 Tool storage 68-69
 Tool tethering 80-83
 Tool vaults 68-69
 Towers 14-15, 17, 19, 21, 28-39
 Transformers 71
 Trolleys 58-61, 68-69

U

Utilities 26-27
 Uponor 46-47

V

Vacuum cleaner 55
 Ventilation 54-55
 Vice 62, 65
 Victaulic 65
 Viega 44-45

W

Welding 74-75
 Welding clamp 75
 Welding screen 75
 Welding tent 27, 75
 Workbenches 68-69
 Work platform 10-15, 17, 19, 21, 23, 28-39
 Working at heights 10-15
 Wrenches 64, 67



MEP Hire

Mechanical, Electrical & Low Level Access Specialists

☎ 0800 587 5121

@ hire@mephire.co.uk

🌐 www.mephire.co.uk

MEP Hire Head Office

Unit K, Ashley Drive, Bothwell, Glasgow G71 8BS

Hire Desk open Monday to Friday, 7.30am - 5pm.

Registered company number: 3428037



Printed on carbon balanced
and sustainably sourced paper